

AZZARDO®

## Track Systems

Discover our collections of decorative and technical lamps.  
Explore them in our dedicated catalogues.



pictorial  
list



1LINE TRACK SYSTEM 1



3LINE TRACK SYSTEM 19



ALFA TRACK SYSTEM 67



BETA TRACK SYSTEM 155



DELTA TRACK SYSTEM 193



GAMMA TRACK SYSTEM 221



NEO TRACK SYSTEM 249



IP65 TRACK SYSTEM 265



ALFA ALDO 101



ALFA ALDO POINTS 102



ALFA ARYA 107



ALFA CYRUS 99



ALFA CYRUS 2LINE CCT SWITCH DIMM 117



ALFA CYRUS CCT BLUETOOTH 138



ALFA ELIN 107




ALFA ELSA 108



ALFA KERRY CCT BLUETOOTH 141



ALFA KERRY 2LINE CCT SWITCH DIMM 123




ALFA KIRA DALI CCT DIMM 149



ALFA KIRA II 95



ALFA KIRA II CCT BLUETOOTH 135



ALFA KIRA 95



ALFA KIRA POINTS50 CCT BLUETOOTH 135



ALFA KIRA 2LINE CCT SWITCH DIMM 115



ALFA KORI 106



ALFA MAKITA II 105



ALFA MAKITA CCT BLUETOOTH 129



ALFA MAKITA II 2LINE CCT SWITCH DIMM 120



ALFA MITUS 2LINE CCT SWITCH DIMM 124



ALFA NIKKI 103





ALFA NIKO 2LINE  
CCT SWITCH  
DIMM 119



ALFA NIKO 104



ALFA NIKO DALI  
CCT DIMM 151



ALFA OPTICA  
2LINE CCT  
SWITCH DIMM 122




ALFA SAGA II 91




ALFA SAGA II  
CCT  
BLUETOOTH 133



ALFA SAGA II  
CORNER 94



ALFA SAGA 89




ALFA SAGA CCT  
BLUETOOTH 131



ALFA SAGA  
2LINE CCT  
SWITCH DIMM 113



ALFA SAGA  
2LINE CORNER  
CCT SWITCH  
DIMM 111



ALFA SAGA DALI  
CCT DIMM 145



ALFA SAGA DALI  
CORNER 147



ALFA SAGA  
CORNER 93




ALFA SAGA  
CORNER CCT  
BLUETOOTH 134




ALFA SARI 97



ALFA SARI CCT  
BLUETOOTH 139



ALFA SONYA  
CCT  
BLUETOOTH 140



ALFA IRMA 87



ALFA 27 NORA 83



ALFA 27 SENTA 85



ALIA TRACK  
3LINE 28



ALIA TRACK  
1LINE 6




BETA GARY  
230V GU10 175




BETA KERRY  
230V 173



BETA KERRY  
230V CCT  
BLUETOOTH 185



BETA KIRA 230V 167



BETA KIRA 230V  
CCT  
BLUETOOTH 183



BETA MAKITA  
230V 170



BETA MAKITA  
230V CCT  
BLUETOOTH 187



BETA OPTICA  
230V 171




BETA OPTICA  
230V CCT  
BLUETOOTH 189



BETA SAGA  
230V 165



BETA SAGA  
230V CCT  
BLUETOOTH 183



BETA SANDERS  
230V 169



BETA SANDERS  
230V CCT  
BLUETOOTH 186



BROSS ARM  
TRACK 3LINE  
GU10 41



COSTA ARM  
TRACK 3LINE 47



COSTA TRACK  
3LINE 48



DELTA ANTILA  
CCT BK 214




DELTA DORADO  
CCT CLEAR 215



DELTA DORADO  
CCT MILKY 216



DELTA KERRY  
CCT BK 218



DELTA KIRA CCT  
BK 210




DELTA KIRKA  
CCT BK 208



DELTA MENSA  
CCT BK 217




DELTA PAVO  
CCT BK 213



DELTA SAGA  
CCT BK 209




DELTA SAGI CCT  
BK 207



DELTA TEMIDA  
CCT BK 211



DELTA FLEX  
LAMP CCT 205



DELTA PENDANT  
150 SET 32W+  
BK 204



EIGER TRACK  
3LINE GU10 37



EREBUS TRACK  
3LINE GU10 33



EXO TRACK  
1LINE GU10 11



EXO TRACK  
3LINE GU10 34



FOCUS TRACK  
3LINE 54




GALILEO TRACK  
3LINE 53




GAMMA DANIEL 236



GAMMA DANKA 235



GAMMA KIRA 229



GAMMA KIRA  
CCT  
BLUETOOTH 240



GAMMA NIKO 234



GAMMA NIKO  
CCT  
BLUETOOTH 244




GAMMA SAGA 227




GAMMA SAGA  
CCT  
BLUETOOTH 239



GAMMA  
SANGRIA POINT 232



GAMMA  
SANGRIA POINT  
CCT  
BLUETOOTH 241



GAMMA  
SANGRIA 231



GAMMA  
SANGRIA CCT  
BLUETOOTH 241



GAMMA SAN-  
GRIA UGR CCT  
BLUETOOTH 242



GAMMA  
SANGRIA UGR 233



GULIA TRACK  
3LINE GU10 42



JANE TRACK  
3LINE GU10 36



JERRY TRACK  
1LINE 15



JERRY TRACK  
3LINE 35



KIRKE TRACK  
1LINE CCT 16



KIRKE TRACK  
3LINE CCT 50



LENS TRACK  
3LINE GU10 40



LEON TRACK  
3LINE 64



LINNEA TRACK  
3LINE CCT 59




LOLO TRACK  
1LINE GU10 12




LOLO TRACK  
3LINE GU10 39



LOTTE TRACK  
3LINE CCT  
SWITCH 49



LUCAS TRACK  
1LINE 7



LUCAS TRACK  
3LINE 29



LUMI FLEX  
TRACK 3LINE 56



LUMI TRACK  
3LINE 55



MEGARA TRACK  
3LINE GU10 40



MIKKA TRACK  
3LINE 57



MONA TRACK  
3LINE 58



NEO SERIE 100  
21W CCT  
BLUETOOTH 253



NEO SERIE 120  
CCT  
BLUETOOTH 255



NEO SERIE 140  
1 CCT BLUETO-  
OTH 257



NEO SERIE 160  
CCT  
BLUETOOTH 259



NEO SERIE 180  
CCT  
BLUETOOTH 259



NEO SERIE 200  
CCT  
BLUETOOTH 261




NEO SERIE 220  
CCT  
BLUETOOTH 262



PIXEL TRACK  
3LINE CCT  
SWITCH 54



PLAIN TRACK  
1LINE 13



SANTOS  
SQUARE TRACK  
3LINE 46




SANTOS TRACK  
3LINE 45



SANTOS TRACK  
3LINE GU10 44



SKYE TRACK  
3LINE 43



SPACE TRACK  
3LINE CCT  
SWITCH 63



TANKER TRACK  
3LINE CCT  
SWITCH 61



TIVOLI TRACK  
3LINE 53



TRACK IP65  
FERNA DIMM 276



TRACK IP65  
LIDO DIMM 273



TRACK IP65  
MURANO DIMM 275



TRACK IP65  
SAMI D12 DIMM 277





TRACK IP65  
SONIC DIMM 278



TRACK 1LINE




TRACK ILINE INSTALLATION SCHEME




TRACK ILINE (1m, 1,5m, 2m, 3m)

|                   |        |       |       |        |
|-------------------|--------|-------|-------|--------|
| Length/Color/Code | ● 1m   | black | ..... | AZ4729 |
|                   | ○ 1m   | white | ..... | AZ4728 |
|                   | ● 1,5m | black | ..... | AZ4731 |
|                   | ○ 1,5m | white | ..... | AZ4730 |
|                   | ● 2m   | black | ..... | AZ4733 |
|                   | ○ 2m   | white | ..... | AZ4732 |
|                   | ● 3m   | black | ..... | AZ4735 |
|                   | ○ 3m   | white | ..... | AZ4734 |




TRACK ILINE SET+ END POWER + END CAP

|                   |        |       |       |        |
|-------------------|--------|-------|-------|--------|
| Length/Color/Code | ● 1m   | black | ..... | AZ4723 |
|                   | ○ 1m   | white | ..... | AZ4722 |
|                   | ● 1,5m | black | ..... | AZ4725 |
|                   | ○ 1,5m | white | ..... | AZ4724 |
|                   | ● 2m   | black | ..... | AZ4727 |
|                   | ○ 2m   | white | ..... | AZ4726 |
|                   | ● 3m   | black | ..... | AZ4795 |
|                   | ○ 3m   | white | ..... | AZ4794 |




TRACK ILINE STRAIGHT CONNECTOR POWER

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5567 |
|            | ○ white | ..... | AZ5568 |




TRACK ILINE END POWER

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ4743 |
|            | ○ white | ..... | AZ4742 |




TRACK ILINE STRAIGHT CONNECTOR

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ4737 |
|            | ○ white | ..... | AZ4736 |




TRACK ILINE L CONNECTOR

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ4739 |
|            | ○ white | ..... | AZ4738 |




TRACK ILINE T CONNECTOR

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ4741 |
|            | ○ white | ..... | AZ4740 |



TRACK ILINE END CAP

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ4745 |
|            | ○ white | ..... | AZ4744 |








TRACK ILINE ELECTRIC ADAPTER

- Color/Code
- black ..... AZ4749
  - white ..... AZ4748




TRACK ILINE PENDANT ACCESSORY 1.5M

- Length/Color/Code
- 1,5m black ..... AZ4747
  - 1,5m white ..... AZ4746



CEILING PLATE + WIRE

- Length/Color/Code
- 2m black ..... AZ4780
  - 2m white ..... AZ4782






ALIA BASE TRACK 1LINE



|                      |                                   |                          |
|----------------------|-----------------------------------|--------------------------|
| Voltage<br>~ 230V    | Light source<br>1 x GU10 only LED | Protection level<br>IP20 |
| Material<br>Aluminum | Finish<br>Matt                    |                          |



- black ..... AZ 6222
  - white ..... AZ 6223
- 

We recommend: EXCLUSIVE BULBS SERIES




|       |         |       |         |       |         |
|-------|---------|-------|---------|-------|---------|
| 3000K | AZ 6054 | 3000K | AZ 6386 | 3000K | AZ 6052 |
| 4000K | AZ 6055 | 4000K | AZ 6387 | 4000K | AZ 6053 |

ALIA  
base track 1line

ALIA  
rings

ALIA  
base + ring




ALIA  
base track 1line

- black ..... AZ 6222
- white ..... AZ 6223



ALIA  
rings

- black ..... AZ 6224
- white ..... AZ 6225
- chrome ..... AZ 6226
- black / chrome ..... AZ 6227
- brushed / gold ..... AZ 6228
- gold ..... AZ 6229



ALIA EXAMPLE SETS



AZ6222 + AZ6226



AZ6222 + AZ6227



AZ6222 + AZ6229



AZ6223 + AZ6225



AZ6223 + AZ6226



AZ6223 + AZ6228



LUCAS BASE TRACK ILINE



|                      |                                   |                          |
|----------------------|-----------------------------------|--------------------------|
| Voltage<br>~ 230V    | Light source<br>1 x GU10 only LED | Protection level<br>IP20 |
| Material<br>Aluminum | Finish<br>Matt                    |                          |

90°  
tilt

350°  
rotation

● black ..... AZ6101

○ white ..... AZ6100

8,1

33

5,1

LUCAS BASE TRACK ILINE PENDANT



|                      |                                   |                          |
|----------------------|-----------------------------------|--------------------------|
| Voltage<br>~ 230V    | Light source<br>1 x GU10 only LED | Protection level<br>IP20 |
| Material<br>Aluminum | Finish<br>Matt                    |                          |

● black ..... AZ6152

○ white ..... AZ6153

8,1

max.157

5,2



LUCAS RIBBED TUBE



|                            |                             |                           |                            |
|----------------------------|-----------------------------|---------------------------|----------------------------|
| Lucas Ribbed Tube<br>black | Lucas Ribbed Tube<br>bronze | Lucas Ribbed Tube<br>gold | Lucas Ribbed Tube<br>white |
| ● 9cm ..... AZ6126         | ● 9cm ..... AZ6129          | ● 9cm ..... AZ6128        | ○ 9cm ..... AZ6127         |
| ● 20cm ..... AZ6399        | ● 20cm ..... AZ6402         | ● 20cm ..... AZ6401       | ○ 20cm ..... AZ6400        |
| ● 30cm ..... AZ6138        | ● 30cm ..... AZ6141         | ● 30cm ..... AZ6140       | ○ 30cm ..... AZ6139        |
| ● 40cm ..... AZ6142        | ● 40cm ..... AZ6145         | ● 40cm ..... AZ6144       | ○ 40cm ..... AZ6143        |
| ● 50cm ..... AZ6146        | ● 50cm ..... AZ6149         | ● 50cm ..... AZ6148       | ○ 50cm ..... AZ6147        |

LUCAS SMOOTH TUBE



|                            |                            |
|----------------------------|----------------------------|
| Lucas Smooth Tube<br>black | Lucas Smooth Tube<br>white |
| ● 9cm ..... AZ6115         | ○ 9cm ..... AZ6114         |
| ● 20cm ..... AZ6117        | ○ 20cm ..... AZ6116        |
| ● 30cm ..... AZ6121        | ○ 30cm ..... AZ6120        |
| ● 40cm ..... AZ6123        | ○ 40cm ..... AZ6122        |



LUCAS BASE TRACK ILINE EXAMPLE SETS



AZ6101 + AZ6126



AZ6101 + AZ6115



AZ6101 + AZ6128



AZ6100 + AZ6127



AZ6100 + AZ6114



AZ6100 + AZ6128

LUCAS BASE TRACK ILINE PENDANT



AZ6152 + AZ6126



AZ6153 + AZ6127



AZ6152 + AZ6128







EXO TRACK 1LINE GU10



|                      |                          |                          |
|----------------------|--------------------------|--------------------------|
| Voltage<br>~ 230V    | Light source<br>1 x GU10 | Protection level<br>IP20 |
| Material<br>Aluminum | Finish<br>Matt           |                          |




- black ..... AZ4660
- white ..... AZ4661




LOLO TRACK 1LINE GU10



|                            |                          |                          |
|----------------------------|--------------------------|--------------------------|
| Voltage<br>~ 230V          | Light source<br>1 x GU10 | Protection level<br>IP20 |
| Material<br>Aluminum / PVC | Finish<br>Matt           |                          |



- black ..... AZ4654
- white ..... AZ4655






PLAIN TRACK ILINE 3000/4000K NEW



|                            |                                    |                          |
|----------------------------|------------------------------------|--------------------------|
| Voltage<br>~ 230V          | Light source<br>1 x LED Integrated | Power<br>10W             |
| Lumens<br>1171lm<br>1014lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>24°<br>24° |
| Protection level<br>IP20   | Material<br>Aluminum / PVC         | Finish<br>Matt           |

- 3000K black ..... AZ6865 NEW
- 3000K white ..... AZ6864 NEW
- 4000K black ..... AZ6863 NEW
- 4000K white ..... AZ6862 NEW







JERRY TRACK 1LINE




|                      |                                  |                          |
|----------------------|----------------------------------|--------------------------|
| Voltage<br>- 230V    | Light source<br>1 x ESIII - GU10 | Protection level<br>IP20 |
| Material<br>Aluminum | Finish<br>Matt                   |                          |




- black ..... AZ4666
- white ..... AZ4667




KIRKE TRACK 1LINE 10W CCT



|                            |                                    |                               |
|----------------------------|------------------------------------|-------------------------------|
| Voltage<br>- 230V          | Light source<br>1 x LED Integrated | Power<br>10W                  |
| Lumens<br>800lm            | Kelvins<br>3000/4000/6500K         | Beam angle<br>36°             |
| Protection level<br>IP20   | CCT<br>Yes                         | Type of control<br>CCT switch |
| Material<br>Aluminum / PVC | Finish<br>Matt                     |                               |



- black ..... AZ4656
- white ..... AZ4657







## TRACK 3LINE






TRACK 3LINE INSTALLATION SCHEME




TRACK 3LINE (1m, 1,5m, 2m, 3m)

|                   |        |       |       |        |
|-------------------|--------|-------|-------|--------|
| Length/Color/Code | ● 1m   | black | ..... | AZ2973 |
|                   | ○ 1m   | white | ..... | AZ2974 |
|                   | ● 1,5m | black | ..... | AZ3000 |
|                   | ○ 1,5m | white | ..... | AZ2999 |
|                   | ● 2m   | black | ..... | AZ2975 |
|                   | ○ 2m   | white | ..... | AZ2976 |
|                   | ● 3m   | black | ..... | AZ4272 |
|                   | ○ 3m   | white | ..... | AZ4271 |




TRACK 3LINE SET+ END POWER + END CAP (1m, 1n5m, 2m)

|                   |        |       |       |        |
|-------------------|--------|-------|-------|--------|
| Length/Color/Code | ● 1m   | black | ..... | AZ2987 |
|                   | ○ 1m   | white | ..... | AZ2991 |
|                   | ● 1,5m | black | ..... | AZ3001 |
|                   | ○ 1,5m | white | ..... | AZ3002 |
|                   | ● 2m   | black | ..... | AZ2992 |
|                   | ○ 2m   | white | ..... | AZ2988 |




TRACK 3LINE GIPS (1m, 2m, 3m)

|                   |      |       |       |        |
|-------------------|------|-------|-------|--------|
| Length/Color/Code | ● 1m | black | ..... | AZ4290 |
|                   | ○ 1m | white | ..... | AZ4289 |
|                   | ● 2m | black | ..... | AZ4292 |
|                   | ○ 2m | white | ..... | AZ4291 |
|                   | ● 3m | black | ..... | AZ4294 |
|                   | ○ 3m | white | ..... | AZ4293 |




TRACK 3LINE 1m COVER

|                   |      |       |       |        |
|-------------------|------|-------|-------|--------|
| Length/Color/Code | ● 1m | black | ..... | AZ5522 |
|                   | ○ 1m | white | ..... | AZ5521 |




END POWER (Left, Right)

|                 |         |       |       |        |
|-----------------|---------|-------|-------|--------|
| Side/Color/Code | ● left  | black | ..... | AZ4284 |
|                 | ○ left  | white | ..... | AZ4283 |
|                 | ● right | black | ..... | AZ4116 |
|                 | ○ right | white | ..... | AZ4117 |




L CONNECTOR (Left, Right)

|                 |         |       |       |        |
|-----------------|---------|-------|-------|--------|
| Side/Color/Code | ● left  | black | ..... | AZ2985 |
|                 | ○ left  | white | ..... | AZ2986 |
|                 | ● right | black | ..... | AZ2983 |
|                 | ○ right | white | ..... | AZ2984 |




T CONNECTOR (Left, Right)


|                 |         |       |       |        |
|-----------------|---------|-------|-------|--------|
| Side/Color/Code | ● left  | black | ..... | AZ4276 |
|                 | ○ left  | white | ..... | AZ4275 |
|                 | ● right | black | ..... | AZ4278 |
|                 | ○ right | white | ..... | AZ4277 |



POWER

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ4274 |
|            | ○ white | ..... | AZ4273 |






X CONNECTOR

Color/Code


- black ..... AZ4280
- white ..... AZ4279



POWER ADJUSTABLE CONNECTOR

Color/Code


- black ..... AZ4286
- white ..... AZ4285



TRACK 3LINE PENDANT ACCESSORY (1,5m)

Length/Color/Code


- 1,5m black ..... AZ4797
- 1,5m white ..... AZ4796



CEILING PLATE + WIRE

Color/Code


- black ..... AZ4780
- white ..... AZ4782



FLEXIBLE CONNECTOR

Color/Code


- black ..... AZ4282
- white ..... AZ4281



END POWER GIPS (Left, Right)

Side/Color/Code


- left black ..... AZ4310
- left white ..... AZ4309
- right black ..... AZ4304
- right white ..... AZ4303



L CONNECTOR GIPS (Left, Right)

Side/Color/Code


- left black ..... AZ5438
- left white ..... AZ5437
- right black ..... AZ4298
- right white ..... AZ4297



T CONNECTOR GIPS (only Right)

Side/Color/Code


- right black ..... AZ4300
- right white ..... AZ4299



POWER GIPS

Color/Code


- black ..... AZ4296
- white ..... AZ4295



X CONNECTOR GIPS

Color/Code

- black ..... AZ4302
- white ..... AZ4301









MINI SIMPLE CONNECTION

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ2981 |
|            | ○ white | ..... | AZ2982 |




END CAP

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ4288 |
|            | ○ white | ..... | AZ4287 |




END CAP GIPS

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5442 |
|            | ○ white | ..... | AZ5441 |




TRACK 3LINE ELECTRIC ADAPTER

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ3003 |
|            | ○ white | ..... | AZ3012 |



TRACK 3LINE DIAGRAM

Diagram showing the correct way to connect accesories to busbars (TRACK 3LINE)  
The orange line indicates polarity of the system (observe earth contact)






ALIA BASE TRACK 3LINE



|                      |                                   |                          |
|----------------------|-----------------------------------|--------------------------|
| Voltage<br>~ 230V    | Light source<br>1 x GU10 only LED | Protection level<br>IP20 |
| Material<br>Aluminum | Finish<br>Matt                    |                          |



- black ..... AZ 6 216
  - white ..... AZ 6 217
- 

We recommend: EXCLUSIVE BULBS SERIES




|       |            |       |            |       |            |
|-------|------------|-------|------------|-------|------------|
| 3000K | AZ 6 0 5 4 | 3000K | AZ 6 3 8 6 | 3000K | AZ 6 0 5 2 |
| 4000K | AZ 6 0 5 5 | 4000K | AZ 6 3 8 7 | 4000K | AZ 6 0 5 3 |

ALIA  
base track 3Line

ALIA  
tubes

ALIA  
base + tube




ALIA  
base track 3Line

- black ..... AZ 6 216
- white ..... AZ 6 217



ALIA  
tubes

- black ..... AZ 6 224
- white ..... AZ 6 225
- chrome ..... AZ 6 226
- black / chrome ..... AZ 6 227
- brushed / gold ..... AZ 6 228
- gold ..... AZ 6 229



ALIA EXAMPLE SETS



AZ6216 + AZ6226



AZ6216 + AZ6227



AZ6216 + AZ6229



AZ6217 + AZ6225



AZ6217 + AZ6226



AZ6217 + AZ6228



LUCAS BASE TRACK 3LINE



|                      |                                   |                          |
|----------------------|-----------------------------------|--------------------------|
| Voltage<br>~ 230V    | Light source<br>1 x GU10 only LED | Protection level<br>IP20 |
| Material<br>Aluminum | Finish<br>Matt                    |                          |

90°  
tilt

350°  
rotation

● black ..... AZ6103

○ white ..... AZ6102

8,5

31

5,2

LUCAS RIBBED TUBE



Lucas Ribbed Tube  
black

● 9cm ..... AZ6126

● 20cm ..... AZ6399

● 30cm ..... AZ6138

● 40cm ..... AZ6142

● 50cm ..... AZ6146

Lucas Ribbed Tube  
bronze

● 9cm ..... AZ6129

● 20cm ..... AZ6402

● 30cm ..... AZ6141

● 40cm ..... AZ6145

● 50cm ..... AZ6149

Lucas Ribbed Tube  
gold

● 9cm ..... AZ6128

● 20cm ..... AZ6401

● 30cm ..... AZ6140

● 40cm ..... AZ6144

● 50cm ..... AZ6148

Lucas Ribbed Tube  
white

○ 9cm ..... AZ6127

○ 20cm ..... AZ6400

○ 30cm ..... AZ6139

○ 40cm ..... AZ6143

○ 50cm ..... AZ6147

LUCAS BASE TRACK 3LINE PENDANT



|                      |                                   |                          |
|----------------------|-----------------------------------|--------------------------|
| Voltage<br>~ 230V    | Light source<br>1 x GU10 only LED | Protection level<br>IP20 |
| Material<br>Aluminum | Finish<br>Matt                    |                          |

● black ..... AZ6154

○ white ..... AZ6155

7,8

max.160

5,2

LUCAS SMOOTH TUBE



Lucas Smooth Tube  
black

● 9cm ..... AZ6115

● 20cm ..... AZ6117

● 30cm ..... AZ6121

● 40cm ..... AZ6123

Lucas Smooth Tube  
white

○ 9cm ..... AZ6114

○ 20cm ..... AZ6116

○ 30cm ..... AZ6120

○ 40cm ..... AZ6122



LUCAS BASE TRACK 3LINE EXAMPLE SETS



AZ6103 + AZ6126



AZ6103 + AZ6115



AZ6103 + AZ6128



AZ6102 + AZ6127



AZ6102 + AZ6114



AZ6102 + AZ6128

LUCAS BASE TRACK 3LINE PENDANT



AZ6154 + AZ6126



AZ6155 + AZ6127



AZ6154 + AZ6128





EREBUS TRACK 3LINE GU10




|                 |                   |                  |
|-----------------|-------------------|------------------|
| Voltage         | Light source      | Protection level |
| 230V            | 1 x GU10 only LED | IP20             |
| Material        | Finish            |                  |
| Aluminium / PVC | Matt              |                  |

- black ..... AZ3391
- white ..... AZ3390



EREBUS  
base track 3Line



- EREBUS  
base track 3Line
- black ..... AZ3391
  - white ..... AZ3390

EREBUS  
tubes




- EREBUS  
tubes 14
- black ..... AZ3384
  - white ..... AZ3383
  - gold ..... AZ3385



- EREBUS  
tubes 21
- black ..... AZ3387
  - white ..... AZ3386
  - gold ..... AZ3388

EREBUS  
base + tube





EXO TRACK 3LINE GU10



|           |                   |                  |
|-----------|-------------------|------------------|
| Voltage   | Light source      | Protection level |
| 230V      | 1 x GU10 only LED | IP20             |
| Material  | Finish            |                  |
| Aluminium | Matt              |                  |

- black ..... AZ3199
- white ..... AZ3200







JERRY TRACK 3LINE



|                             |                                              |                          |
|-----------------------------|----------------------------------------------|--------------------------|
| Voltage<br>230V             | Light source<br>1 x ESI11 - GU10<br>only LED | Protection level<br>IP20 |
| Material<br>Aluminium / PVC | Finish<br>Matt                               |                          |

- black ..... AZ2458
- gold ..... AZ5237
- white ..... AZ2459





JANE TRACK 3LINE GU10



|                       |                                   |                          |
|-----------------------|-----------------------------------|--------------------------|
| Voltage<br>230V       | Light source<br>1 x GU10 only LED | Protection level<br>IP20 |
| Material<br>Aluminium | Finish<br>Matt                    |                          |

- black ..... AZ2457
- white ..... AZ2460








EIGER TRACK 3LINE GU10



|                 |                   |                  |
|-----------------|-------------------|------------------|
| Voltage         | Light source      | Protection level |
| 230V            | 1 x GU10 only LED | IP20             |
| Material        | Finish            |                  |
| Aluminium / PVC | Matt              |                  |




- black ..... AZ4205
- black/gold ..... AZ4206
- gold ..... AZ5238
- white ..... AZ4204




MEGARA TRACK 3LINE GU10



|           |                   |                  |
|-----------|-------------------|------------------|
| Voltage   | Light source      | Protection level |
| 230V      | 2 x GU10 only LED | IP20             |
| Material  | Finish            |                  |
| Aluminium | Matt              |                  |



- white ..... AZ4442







LOLO TRACK 3LINE GU10



|                 |                   |                  |
|-----------------|-------------------|------------------|
| Voltage         | Light source      | Protection level |
| 230V            | 1 x GU10 only LED | IP20             |
| Material        | Finish            |                  |
| Aluminium / PVC | Matt              |                  |




- black ..... AZ4577
- white ..... AZ4578




LENS TRACK 3LINE GU10



|           |                   |                  |
|-----------|-------------------|------------------|
| Voltage   | Light source      | Protection level |
| 230V      | 1 x GU10 only LED | IP20             |
| Material  | Finish            |                  |
| Aluminium | Matt              |                  |



- black ..... AZ3511
- black/gold ..... AZ3512
- white ..... AZ3510







BROSS ARM TRACK 3LINE GU10



Azzardo pantent EU

|           |                   |                  |
|-----------|-------------------|------------------|
| Voltage   | Light source      | Protection level |
| 230V      | 1 x GU10 only LED | IP20             |
| Material  | Finish            |                  |
| Aluminium | Matt              |                  |

- black ..... AZ3501
- white ..... AZ3500





GULIA TRACK 3LINE GU10



|                 |                   |                  |
|-----------------|-------------------|------------------|
| Voltage         | Light source      | Protection level |
| 230V            | 1 x GU10 only LED | IP20             |
| Material        | Finish            |                  |
| Aluminium / PVC | Matt              |                  |

- black ..... AZ4710
- gold ..... AZ4711
- white ..... AZ4709







SKYE TRACK 3LINE 12W 3000K



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>230V | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000K                   | Beam angle<br>60°           |
| CRI<br>≥ 80     | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

- black ..... AZ4520
- white ..... AZ4519





SANTOS TRACK 3LINE GU10



|                             |                                   |                          |
|-----------------------------|-----------------------------------|--------------------------|
| Voltage<br>230V             | Light source<br>1 x GU10 only LED | Protection level<br>IP20 |
| Material<br>Aluminium / PVC | Finish<br>Matt                    |                          |

- black ..... AZ4203
- white ..... AZ4202







SANTOS TRACK 3LINE 12W 3000K



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>230V | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000K                   | Beam angle<br>37°           |
| CRI<br>≥ 80     | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |




- black ..... AZ4183
- white ..... AZ4184
- black/gold ..... AZ2924
- white/gold ..... AZ2925




SANTOS SQUARE TRACK 3LINE 12W 3000K



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>230V | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000K                   | Beam angle<br>25°           |
| CRI<br>≥ 80     | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |



- black ..... AZ3525
- white ..... AZ3524







COSTA ARM TRACK 3LINE 12W 3000K



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>230V | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000K                   | Beam angle<br>24°           |
| CRI<br>≥ 80     | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

- black ..... AZ3486
- white ..... AZ3487





COSTA TRACK 3LINE 12W 3000/4000K



|                          |                                    |                             |
|--------------------------|------------------------------------|-----------------------------|
| Voltage<br>230V          | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm<br>960lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>25°           |
| CRI<br>≥ 80              | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt           |                                    |                             |

- 3000K black ..... AZ4550
- 3000K white ..... AZ4549
- 4000K black ..... AZ4552
- 4000K white ..... AZ4551







LOTTE TRACK 3LINE 25W CCT SWITCH



|                               |                                    |                   |
|-------------------------------|------------------------------------|-------------------|
| Voltage<br>230V               | Light source<br>1 x LED Integrated | Power<br>25W      |
| Lumens<br>2000lm              | Kelvins<br>3000 / 4000 / 6500K     | Beam angle<br>37° |
| CRI<br>≥ 90                   | Protection level<br>IP20           | CCT<br>Yes        |
| Type of control<br>CCT Switch | Material<br>Aluminium / PVC        | Finish<br>Matt    |

- black ..... AZ6088





KIRKE TRACK 3LINE 10W CCT



|                               |                                    |                   |
|-------------------------------|------------------------------------|-------------------|
| Voltage<br>230V               | Light source<br>1 x LED Integrated | Power<br>10W      |
| Lumens<br>800lm               | Kelvins<br>3000/4000/6000K         | Beam angle<br>40° |
| CRI<br>≥ 80                   | Protection level<br>IP20           | CCT<br>Yes        |
| Type of control<br>CCT Switch | Material<br>Aluminium / PVC        | Finish<br>Matt    |

- black ..... AZ4658
- white ..... AZ4659







TIVOLI TRACK 3LINE 10W 3000/4000K



|                          |                                    |                             |
|--------------------------|------------------------------------|-----------------------------|
| Voltage<br>230V          | Light source<br>1 x LED Integrated | Power<br>10W                |
| Lumens<br>800lm<br>800lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>25°<br>25°    |
| CRI<br>≥ 90              | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt           |                                    |                             |




- 3000K black ..... AZ2224
- 3000K white ..... AZ2222
- 4000K black ..... AZ2225
- 4000K white ..... AZ2223




FOCUS TRACK 3LINE 7W



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>230V | Light source<br>1 x LED Integrated | Power<br>7W                 |
| Lumens<br>341lm | Kelvins<br>3000K                   | Beam angle<br>12° - 50°     |
| CRI<br>≥ 80     | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |



- black ..... AZ6083
- white ..... AZ6082







GALILEO TRACK 3LINE 15W 3000K



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 230V    | 1 x LED Integrated | 15W             |
| Lumens  | Kelvins            | Beam angle      |
| 800lm   | 3000K              | 10° - 40°       |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- black ..... AZ4067
- white ..... AZ4066





PIXEL TRACK 3LINE CCT SWITCH



|                 |                     |            |
|-----------------|---------------------|------------|
| Voltage         | Light source        | Power      |
| 230V            | 1 x LED Integrated  | 20W        |
| Lumens          | Kelvins             | Beam angle |
| 1600lm          | 3000 / 4000 / 6000K | 20° - 60°  |
| CRI             | Protection level    | CCT        |
| ≥ 90            | IP20                | Yes        |
| Type of control | Material            | Finish     |
| CCT Switch      | Aluminium / PVC     | Matt       |

- black ..... AZ6044
- white ..... AZ6045






LUMI TRACK 3LINE 5W 3000K




Adjustable  
beam angle 15° - 70°



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>230V | Light source<br>1 x LED Integrated | Power<br>5W                 |
| Lumens<br>800lm | Kelvins<br>3000K                   | Beam angle<br>15° - 70°     |
| CRI<br>≥ 80     | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |



- black ..... AZ4557
- white ..... AZ4558



LUMI FLEX TRACK 3LINE 5W 3000K




Adjustable  
beam angle 15° - 70°



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>230V | Light source<br>1 x LED Integrated | Power<br>5W                 |
| Lumens<br>800lm | Kelvins<br>3000K                   | Beam angle<br>15° - 70°     |
| CRI<br>≥ 80     | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |





- black ..... AZ4559
- white ..... AZ4560



MIKKA TRACK 3LINE 24W 3000K





|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>230V  | Light source<br>1 x LED Integrated | Power<br>24W                |
| Lumens<br>1920lm | Kelvins<br>3000K                   | Beam angle<br>108°          |
| CRI<br>≥ 80      | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |



MONA TRACK 3LINE 12W 3000/4000K





|                          |                                    |                             |
|--------------------------|------------------------------------|-----------------------------|
| Voltage<br>230V          | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm<br>960lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>103°<br>103°  |
| CRI<br>≥ 80              | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt           |                                    |                             |



MONA TRACK 3LINE 18W 3000K



|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>230V  | Light source<br>1 x LED Integrated | Power<br>18W                |
| Lumens<br>1440lm | Kelvins<br>3000K                   | Beam angle<br>105°          |
| CRI<br>≥ 80      | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |







LINNEA 29 TRACK 3LINE 12W CCT



|                 |                    |            |
|-----------------|--------------------|------------|
| Voltage         | Light source       | Power      |
| 230V            | 1 x LED Integrated | 12W        |
| Lumens          | Kelvins            | Beam angle |
| 960lm           | 3000/4000/6000K    | 120°       |
| CRI             | Protection level   | CCT        |
| ≥ 80            | IP20               | Yes        |
| Type of control | Material           | Finish     |
| CCT Switch      | Aluminium / PVC    | Matt       |

- black ..... AZ4563
- white ..... AZ4564




LINNEA 57 TRACK 3LINE 24W CCT



|                 |                    |            |
|-----------------|--------------------|------------|
| Voltage         | Light source       | Power      |
| 230V            | 1 x LED Integrated | 24W        |
| Lumens          | Kelvins            | Beam angle |
| lm              | 3000/4000/6000K    | 120°       |
| CRI             | Protection level   | CCT        |
| ≥ 80            | IP20               | Yes        |
| Type of control | Material           | Finish     |
| CCT Switch      | Aluminium / PVC    | Matt       |

- black ..... AZ4565
- white ..... AZ4566




LINNEA 86 TRACK 3LINE 36W CCT




|                 |                    |            |
|-----------------|--------------------|------------|
| Voltage         | Light source       | Power      |
| 230V            | 1 x LED Integrated | 36W        |
| Lumens          | Kelvins            | Beam angle |
| 2880lm          | 3000/4000/6000K    | 120°       |
| CRI             | Protection level   | CCT        |
| ≥ 80            | IP20               | Yes        |
| Type of control | Material           | Finish     |
| CCT Switch      | Aluminium / PVC    | Matt       |

- black ..... AZ4567
- white ..... AZ4568




TANKER TRACK 3LINE 18W CCT SWITCH



|                 |                     |            |
|-----------------|---------------------|------------|
| Voltage         | Light source        | Power      |
| 230V            | 1 x LED Integrated  | 18W        |
| Lumens          | Kelvins             | Beam angle |
| 1440lm          | 3000 / 4000 / 6000K | 120°       |
| CRI             | Protection level    | CCT        |
| ≥ 90            | IP20                | Yes        |
| Type of control | Material            | Finish     |
| CCT Switch      | Aluminium / PVC     | Matt       |

- black ..... AZ5980




TANKER TRACK 3LINE 30W CCT SWITCH




|                 |                     |            |
|-----------------|---------------------|------------|
| Voltage         | Light source        | Power      |
| 230V            | 1 x LED Integrated  | 30W        |
| Lumens          | Kelvins             | Beam angle |
| 2400lm          | 3000 / 4000 / 6000K | 120°       |
| CRI             | Protection level    | CCT        |
| ≥ 90            | IP20                | Yes        |
| Type of control | Material            | Finish     |
| CCT Switch      | Aluminium / PVC     | Matt       |

- black ..... AZ5981




TANKER TRACK 3LINE 40W CCT SWITCH




|                 |                     |            |
|-----------------|---------------------|------------|
| Voltage         | Light source        | Power      |
| 230V            | 1 x LED Integrated  | 40W        |
| Lumens          | Kelvins             | Beam angle |
| 3200lm          | 3000 / 4000 / 6000K | 120°       |
| CRI             | Protection level    | CCT        |
| ≥ 90            | IP20                | Yes        |
| Type of control | Material            | Finish     |
| CCT Switch      | Aluminium / PVC     | Matt       |

- black ..... AZ5982






SPACE TRACK 3LINE 16W CCT SWITCH



|                 |                     |            |
|-----------------|---------------------|------------|
| Voltage         | Light source        | Power      |
| 230V            | 1 x LED Integrated  | 16W        |
| Lumens          | Kelvins             | Beam angle |
| 1280lm          | 3000 / 4000 / 6000K | 30°        |
| CRI             | Protection level    | CCT        |
| ≥ 90            | IP20                | Yes        |
| Type of control | Material            | Finish     |
| CCT Switch      | Aluminium / PVC     | Matt       |

- black ..... AZ6056




SPACE TRACK 3LINE 30W CCT SWITCH



|                 |                     |            |
|-----------------|---------------------|------------|
| Voltage         | Light source        | Power      |
| 230V            | 1 x LED Integrated  | 30W        |
| Lumens          | Kelvins             | Beam angle |
| 2400lm          | 3000 / 4000 / 6000K | 30°        |
| CRI             | Protection level    | CCT        |
| ≥ 90            | IP20                | Yes        |
| Type of control | Material            | Finish     |
| CCT Switch      | Aluminium / PVC     | Matt       |

- black ..... AZ6057





LEON TRACK 3LINE



|         |                    |            |
|---------|--------------------|------------|
| Voltage | Light source       | Power      |
| 230V    | 1 x LED Integrated | 12W        |
| Lumens  | Kelvins            | Beam angle |
| 960lm   | 3000K              | 31°        |
| CRI     | Protection level   | Material   |
| ≥ 80    | IP20               | Aluminium  |
| Finish  |                    |            |
| Matt    |                    |            |

- black ..... AZ3491
- white ..... AZ3490






**ALFA  
TRACK MAGNETIC**






ALFA TRACK MAGNETIC INSTALLATION SCHEME






ALFA TRACK MAGNETIC INSTALLATION SCHEME




ALFA TRACK MAGNETIC27 (1m, 1,5m, 2m, 3m)  
WITH END CAP 2x (all included)

| Length/Color/Code |       |       |        |
|-------------------|-------|-------|--------|
| ● 1m              | black | ..... | AZ4713 |
| ○ 1m              | white | ..... | AZ4712 |
| ● 1,5m            | black | ..... | AZ4715 |
| ○ 1,5m            | white | ..... | AZ4714 |
| ● 2m              | black | ..... | AZ4717 |
| ○ 2m              | white | ..... | AZ4716 |
| ● 3m              | black | ..... | AZ4719 |
| ○ 3m              | white | ..... | AZ4718 |





ALFA TRACK MAGNETIC52 (1m, 1,5m, 2m, 3m)  
WITH END CAP 2x (all included)

| Length/Color/Code |       |       |        |
|-------------------|-------|-------|--------|
| ● 1m              | black | ..... | AZ4638 |
| ○ 1m              | white | ..... | AZ4639 |
| ● 1,5m            | black | ..... | AZ4640 |
| ○ 1,5m            | white | ..... | AZ4641 |
| ● 2m              | black | ..... | AZ4642 |
| ○ 2m              | white | ..... | AZ4643 |
| ● 3m              | black | ..... | AZ4644 |
| ○ 3m              | white | ..... | AZ4645 |




ALFA TRACK MAGNETIC52 (1m, 2m, 3m)  
WITH END CAP 2x (all included) Anodised Silver

| Length/Color/Code |        |       |        |
|-------------------|--------|-------|--------|
| ● 1m              | silver | ..... | AZ6356 |
| ● 2m              | silver | ..... | AZ6359 |
| ● 3m              | silver | ..... | AZ6362 |




ALFA TRACK MAGNETIC52 (1m, 2m, 3m)  
WITH END CAP 2x (all included) Anodised Gold

| Length/Color/Code |      |       |        |
|-------------------|------|-------|--------|
| ● 1m              | gold | ..... | AZ6355 |
| ● 2m              | gold | ..... | AZ6358 |
| ● 3m              | gold | ..... | AZ6361 |




ALFA TRACK MAGNETIC52 (1m, 2m, 3m)  
WITH END CAP 2x (all included) Anodised Chocolate

| Length/Color/Code |           |       |        |
|-------------------|-----------|-------|--------|
| ● 1m              | chocolate | ..... | AZ6354 |
| ● 2m              | chocolate | ..... | AZ6357 |
| ● 3m              | chocolate | ..... | AZ6360 |




ALFA TRACK MAGNETIC52 CORNER90 A

| Color/Code |       |        |  |
|------------|-------|--------|--|
| ● black    | ..... | AZ4679 |  |
| ○ white    | ..... | AZ4680 |  |
| ● gold     | ..... | AZ6364 |  |
| ● silver   | ..... | AZ6365 |  |




ALFA TRACK MAGNETIC52 CORNER90 B  
SURFACE CORNER 90°

| Color/Code  |       |        |  |
|-------------|-------|--------|--|
| ● black     | ..... | AZ4683 |  |
| ○ white     | ..... | AZ4684 |  |
| ● chocolate | ..... | AZ6366 |  |
| ● gold      | ..... | AZ6367 |  |
| ● silver    | ..... | AZ6368 |  |




ALFA TRACK MAGNETIC27 CORNER90 A

| Color/Code |       |        |  |
|------------|-------|--------|--|
| ● black    | ..... | AZ5003 |  |
| ○ white    | ..... | AZ5004 |  |








ALFA TRACK MAGNETIC 27 CORNER 90° B  
SURFACE CORNER 90°

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5001 |
|            | ○ white | ..... | AZ5002 |



ALFA TRACK MAGNETIC 52 230V CONNECTOR T A

|            |         |       |        |     |
|------------|---------|-------|--------|-----|
| Color/Code | ● black | ..... | AZ6693 | NEW |
|            | ○ white | ..... | AZ6696 | NEW |




ALFA TRACK MAGNETIC 52 230V ELECTRICAL CONNECTOR T

|            |         |       |        |     |
|------------|---------|-------|--------|-----|
| Color/Code | ● black | ..... | AZ6699 | NEW |
|            | ○ white | ..... | AZ6700 | NEW |




ALFA TRACK MAGNETIC FLEX CONNECTOR ELECTRIC

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ4687 |
|            | ○ white | ..... | AZ4688 |



ALFA TRACK MAGNETIC STRAIGHT CONNECTOR

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ4677 |
|            | ○ white | ..... | AZ4678 |




ALFA TRACK MAGNETIC SUSPENSION KIT 2M

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ4693 |
|            | ○ white | ..... | AZ4694 |



CEILING PLATE + WIRE

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ4780 |
|            | ○ white | ..... | AZ4782 |




ALFA TRACK MAGNETIC 52 COVER 1M

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ4652 |
|            | ○ white | ..... | AZ4653 |


ALFA TRACK MAGNETIC 27 COVER 1M

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5444 |
|            | ○ white | ..... | AZ5443 |



ALFA TRACK MAGNETIC MECHANICAL CONNECTOR

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ4689 |
|            | ○ white | ..... | AZ4690 |




ALFA TRACK MAGNETIC 52 END CAP

|            |             |       |        |
|------------|-------------|-------|--------|
| Color/Code | ● black     | ..... | AZ6372 |
|            | ○ white     | ..... | AZ6373 |
|            | ● chocolate | ..... | AZ6369 |
|            | ● gold      | ..... | AZ6370 |
|            | ● silver    | ..... | AZ6371 |
|            |             |       |        |




ALFA TRACK MAGNETIC MULTI-ANGLE INSTALLATION SCHEME




ALFA TRACK MAGNETIC MULTI-ANGLE CONNECTOR 1

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ6481 |
|            | ○ white | ..... | AZ6484 |




ALFA TRACK MAGNETIC MULTI-ANGLE CONNECTOR 2

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ6482 |
|            | ○ white | ..... | AZ6485 |





ALFA TRACK MAGNETIC MULTI-ANGLE CONNECTOR 3

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ6483 |
|            | ○ white | ..... | AZ6486 |





ALFA TRACK MAGNETIC INSTALLATION SCHEME




ALFA TRACK MAGNETIC52 GIPS1 (1m, 1,5m, 2m, 3m)  
WITH END CAP 2x (all included)

|                   |        |       |       |        |
|-------------------|--------|-------|-------|--------|
| Length/Color/Code | ● 1m   | black | ..... | AZ4863 |
|                   | ○ 1m   | white | ..... | AZ5457 |
|                   | ● 1,5m | black | ..... | AZ4864 |
|                   | ○ 1,5m | white | ..... | AZ5458 |
|                   | ● 2m   | black | ..... | AZ4865 |
|                   | ○ 2m   | white | ..... | AZ5453 |
|                   | ● 3m   | black | ..... | AZ5455 |
|                   | ○ 3m   | white | ..... | AZ5454 |




ALFA TRACK MAGNETIC52 GIPS2 (1m, 1,5m, 2m, 3m)  
WITH END CAP 2x (all included)

|                   |        |       |       |        |
|-------------------|--------|-------|-------|--------|
| Length/Color/Code | ● 1m   | black | ..... | AZ4646 |
|                   | ○ 1m   | white | ..... | AZ4647 |
|                   | ● 1,5m | black | ..... | AZ4648 |
|                   | ○ 1,5m | white | ..... | AZ4649 |
|                   | ● 2m   | black | ..... | AZ4650 |
|                   | ○ 2m   | white | ..... | AZ4651 |
|                   | ● 3m   | black | ..... | AZ5460 |
|                   | ○ 3m   | white | ..... | AZ5461 |




ALFA TRACK MAGNETIC52 GIPS1 CORNER90 A  
SURFACE CORNER 90° A

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ4862 |
|            | ○ white | ..... | AZ5461 |




ALFA TRACK MAGNETIC52 GIPS1 CORNER90 B  
SURFACE CORNER 90° B


|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5463 |
|            | ○ white | ..... | AZ5462 |










|                                         |         |       |        |     |
|-----------------------------------------|---------|-------|--------|-----|
| ALFA TRACK MAGNETIC52 CONNECTOR T GIPS1 |         |       |        |     |
| Color/Code                              | ● black | ..... | AZ6694 | NEW |
|                                         | ○ white | ..... | AZ6697 | NEW |



|                                                                |         |       |        |  |
|----------------------------------------------------------------|---------|-------|--------|--|
| ALFA TRACK MAGNETIC52 GIPS2 CORNER90 A<br>SURFACE CORNER 90° A |         |       |        |  |
| Color/Code                                                     | ● black | ..... | AZ4681 |  |
|                                                                | ○ white | ..... | AZ4682 |  |




|                                                                |         |       |        |  |
|----------------------------------------------------------------|---------|-------|--------|--|
| ALFA TRACK MAGNETIC52 GIPS2 CORNER90 B<br>SURFACE CORNER 90° B |         |       |        |  |
| Color/Code                                                     | ● black | ..... | AZ4685 |  |
|                                                                | ○ white | ..... | AZ4686 |  |



|                                         |         |       |        |     |
|-----------------------------------------|---------|-------|--------|-----|
| ALFA TRACK MAGNETIC52 CONNECTOR T GIPS2 |         |       |        |     |
| Color/Code                              | ● black | ..... | AZ6695 | NEW |
|                                         | ○ white | ..... | AZ6698 | NEW |



|                                          |         |       |        |  |
|------------------------------------------|---------|-------|--------|--|
| ALFA TRACK MAGNETIC MECHANICAL CONNECTOR |         |       |        |  |
| Color/Code                               | ● black | ..... | AZ4689 |  |
|                                          | ○ white | ..... | AZ4690 |  |




|                               |         |       |        |  |
|-------------------------------|---------|-------|--------|--|
| ALFA TRACK MAGNETIC52 END CAP |         |       |        |  |
| Color/Code                    | ● black | ..... | AZ6372 |  |
|                               | ○ white | ..... | AZ6373 |  |




ALFA TRACK MAGNETIC INSTALLATION SCHEME




AZ6070




AZ5680




|                                                                        |        |       |       |        |
|------------------------------------------------------------------------|--------|-------|-------|--------|
| ALFA TRACK MAGNETIC EASYFIX (1m, 1,5m, 2m, 3m)<br>Very Easy To Instal! |        |       |       |        |
| Length/Color/Code                                                      | ● 1m   | black | ..... | AZ5676 |
|                                                                        | ● 1,5m | black | ..... | AZ5677 |
|                                                                        | ● 2m   | black | ..... | AZ5678 |
|                                                                        | ● 3m   | black | ..... | AZ5679 |



|                                                                              |      |           |       |        |
|------------------------------------------------------------------------------|------|-----------|-------|--------|
| ALFA TRACK MAGNETIC EASYFIX SPRINGS (x3, x4, x5, x7)<br>Very Easy To Instal! |      |           |       |        |
| Quantity/Color/Code                                                          | ● x3 | aluminium | ..... | AZ5680 |
|                                                                              | ● x4 | aluminium | ..... | AZ5681 |
|                                                                              | ● x5 | aluminium | ..... | AZ5683 |
|                                                                              | ● x6 | aluminium | ..... | AZ5684 |




|                                                           |            |       |        |  |
|-----------------------------------------------------------|------------|-------|--------|--|
| BETA/ALFA TRACK MAGNETIC50 EASYFIX 230V<br>MOUNTING PLATE |            |       |        |  |
| Color/Code                                                | ● aluminum | ..... | AZ6070 |  |






ALFA TRACK MAGNETIC FLEX CONNECTOR ELECTRIC

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ4687 |
|            | ○ white | ..... | AZ4688 |




ALFA TRACK MAGNETIC STRAIGHT CONNECTOR

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ4677 |
|            | ○ white | ..... | AZ4678 |




ALFA TRACK MAGNETIC EASYFIX CORNER A

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5688 |
|------------|---------|-------|--------|




ALFA TRACK MAGNETIC EASYFIX COVER 1m

|                   |      |       |       |        |
|-------------------|------|-------|-------|--------|
| Length/Color/Code | ● 1m | black | ..... | AZ5686 |
|-------------------|------|-------|-------|--------|




ALFA TRACK MAGNETIC EASYFIX STRAIGHT CONNECTOR

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5685 |
|------------|---------|-------|--------|





ALFA TRACK MAGNETIC EASYFIX END CAP

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5687 |
|------------|---------|-------|--------|





ALFA TRACK MAGNETIC INSTALLATION SCHEME




ALFA TRACK MAGNETIC STRETCH (1m, 2m, 3m)

|                   |      |       |       |        |
|-------------------|------|-------|-------|--------|
| Length/Color/Code | ● 1m | black | ..... | AZ5836 |
|                   | ● 2m | black | ..... | AZ5837 |
|                   | ● 3m | black | ..... | AZ5838 |




ALFA TRACK MAGNETIC STRETCH CORNER90

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5839 |
|------------|---------|-------|--------|



ALFA TRACK MAGNETIC FLEX CONNECTOR ELECTRIC

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ4687 |
|            | ○ white | ..... | AZ4688 |








ALFA TRACK MAGNETIC STRETCH CONNECTOR90 x4

Color/Code


- black ..... AZ5840



ALFA TRACK MAGNETIC STRETCH END CAP

Color/Code


- black ..... AZ5841



ALFA TRACK MAGNETIC STRAIGHT CONNECTOR ELECTRIC

Color/Code

- black ..... AZ4677
- white ..... AZ4678



REGULAR

ALFA TRACK MAGNETIC DRIVER

- \* Alfa Track Magnetic Lamps
- \* Alfa Track Magnetic Bluetooth Lamps

2LINE

ALFA TRACK MAGNETIC 2LINE DRIVER

- \* Alfa Track Magnetic 2line Lamps

DALI

ALFA TRACK MAGNETIC DALI DRIVER



- \* Alfa Track Magnetic Dali Lamps



ALFA TRACK MAGNETIC DRIVER ELECTRIC CONNETOR

Color/Code

- black ..... AZ4675
- white ..... AZ4676



DRIVER OUTSIDE MEANWELL REGULAR (100W, 200W, 350W)

Power/Code




|      |     |        |
|------|-----|--------|
| 100W | ... | AZ4691 |
| 200W | ... | AZ4692 |
| 350W | ... | AZ4866 |



ALFA TRACK MAGNETIC DRIVER (60W, 100W, 200W) REGULAR

Power/Color/Code



|        |       |       |        |
|--------|-------|-------|--------|
| ● 60W  | black | ..... | AZ4669 |
| ○ 60W  | white | ..... | AZ4670 |
| ● 100W | black | ..... | AZ4671 |
| ○ 100W | white | ..... | AZ4672 |
| ● 200W | black | ..... | AZ4673 |
| ○ 200W | white | ..... | AZ4674 |



ALFA TRACK MAGNETIC 2LINE LI DRIVER DIMM INSIDE 2LINE LI (100W, 200W)

Power/Color/Code


|        |       |       |                         |
|--------|-------|-------|-------------------------|
| ● 100W | black | ..... | AZ6352                  |
| ○ 100W | white | ..... | AZ6682 <span>NEW</span> |
| ● 200W | black | ..... | AZ6353                  |



ALFA TRACK MAGNETIC 2LINE DRIVER INSIDE 2LINE (60+60W, 100+100W)

Power/Color/Code

|            |       |       |        |
|------------|-------|-------|--------|
| ● 60+60W   | black | ..... | AZ6230 |
| ○ 60+60W   | white | ..... | AZ6231 |
| ● 100+100W | black | ..... | AZ6232 |
| ○ 100+100W | white | ..... | AZ6233 |










ALFA TRACK MAGNETIC 2LINE DRIVER 2LINE DIMM INSIDE (60+60W, 100+100W)

|                  |            |       |       |                         |
|------------------|------------|-------|-------|-------------------------|
| Power/Color/Code | ● 60+60W   | black | ..... | AZ6234                  |
|                  | ● 100+100W | black | ..... | AZ6235                  |
|                  | ○ 100+100W | white | ..... | AZ6681 <span>NEW</span> |



ALFA TRACK MAGNETIC 2LINE & DALI DRIVER ELECTRIC CONNETTOR

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ6258 |
|------------|---------|-------|--------|




DRIVER OUTSIDE MEANWELL (100W, 200W, 350W)

|            |      |     |        |
|------------|------|-----|--------|
| Power/Code | 100W | ... | AZ4691 |
|            | 200W | ... | AZ4692 |
|            | 350W | ... | AZ4866 |



ALFA TRACK MAGNETIC DALI DRIVER INSIDE (100W, 200W)

|                  |        |       |       |        |
|------------------|--------|-------|-------|--------|
| Power/Color/Code | ● 100W | black | ..... | AZ6305 |
|                  | ● 200W | black | ..... | AZ6306 |






REGULAR

ALFA TRACK MAGNETIC27 NORA 12W 3000K



installation: ALFA Track Magnetic 27

|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000K                   | Beam angle<br>23°           |
| CRI<br>≥ 80     | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |




REGULAR

ALFA TRACK MAGNETIC27 NORA 24W 3000K



installation: ALFA Track Magnetic 27

|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated | Power<br>24W                |
| Lumens<br>1920lm | Kelvins<br>3000K                   | Beam angle<br>24°           |
| CRI<br>≥ 80      | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |




REGULAR

ALFA TRACK MAGNETIC27 NORA 18W 3000K



installatic: ALFA Track Magnetic 27

|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated | Power<br>18W                |
| Lumens<br>1440lm | Kelvins<br>3000K                   | Beam angle<br>24°           |
| CRI<br>≥ 80      | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |




REGULAR

ALFA TRACK MAGNETIC27 SENTA 10W 3000K



installation: ALFA Track Magnetic 27

|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>10W                |
| Lumens<br>455lm | Kelvins<br>3000K                   | Beam angle<br>109°          |
| CRI<br>≥ 80     | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |




REGULAR

ALFA TRACK MAGNETIC27 SENTA 30W 3000K



installation: ALFA Track Magnetic 27

|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated | Power<br>30W                |
| Lumens<br>1400lm | Kelvins<br>3000K                   | Beam angle<br>109°          |
| CRI<br>≥ 80      | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |




REGULAR

ALFA TRACK MAGNETIC27 SENTA 20W 3000K



installatic: ALFA Track Magnetic 27

|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>20W                |
| Lumens<br>980lm | Kelvins<br>3000K                   | Beam angle<br>110°          |
| CRI<br>≥ 80     | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |





REGULAR


ALFA TRACK MAGNETIC IRMA 12W 3000K



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000K                   | Beam angle<br>24°           |
| CRI<br>≥ 80     | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |



- black ..... AZ6089



REGULAR


ALFA TRACK MAGNETIC IRMA 18W 3000K



|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated | Power<br>18W                |
| Lumens<br>1440lm | Kelvins<br>3000K                   | Beam angle<br>24°           |
| CRI<br>≥ 80      | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |




- black ..... AZ6090



REGULAR

ALFA SAGA TRACK MAGNETIC 12W 3000/4000K




milky diffuser




|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 12W             |
| Lumens  | Kelvins            | Beam angle      |
| 600lm   | 3000K              | 114°            |
| 600lm   | 4000K              | 112°            |
| CRI     | Protection level   | Material        |
| ≥ 80    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ4603
- 3000K white ..... AZ4604
- 4000K black ..... AZ4605
- 4000K white ..... AZ4606




REGULAR

ALFA SAGA TRACK MAGNETIC 24W 3000/4000K




milky diffuser




|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 24W             |
| Lumens  | Kelvins            | Beam angle      |
| 1300lm  | 3000K              | 112°            |
| 1300lm  | 4000K              | 112°            |
| CRI     | Protection level   | Material        |
| ≥ 80    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ4607
- 3000K white ..... AZ4608
- 4000K black ..... AZ4609
- 4000K white ..... AZ4610



REGULAR

ALFA SAGA TRACK MAGNETIC 36W 3000K




milky diffuser



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 36W             |
| Lumens  | Kelvins            | Beam angle      |
| 2000lm  | 3000K              | 111°            |
| CRI     | Protection level   | Material        |
| ≥ 80    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |


- black ..... AZ4611
- white ..... AZ4612





REGULAR

ALFA SAGA II TRACK MAGNETIC 12W 3000K




milky diffuser




|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>400lm | Kelvins<br>3000K                   | Beam angle<br>105°          |
| CRI<br>≥ 90     | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

- 3000K black ..... AZ5475




REGULAR

ALFA SAGA II TRACK MAGNETIC 20W 3000K




milky diffuser




|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>20W                |
| Lumens<br>700lm | Kelvins<br>3000K                   | Beam angle<br>104°          |
| CRI<br>≥ 90     | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

- 3000K black ..... AZ5477



REGULAR

ALFA SAGA II TRACK MAGNETIC 30W 3000K




milky diffuser




|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated | Power<br>30W                |
| Lumens<br>1000lm | Kelvins<br>3000K                   | Beam angle<br>111°          |
| CRI<br>≥ 90      | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |

- 3000K black ..... AZ5479




REGULAR

ALFA SAGA TRACK MAGNETIC CORNER A 24W 3000/4000K



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 24W             |
| Lumens  | Kelvins            | Beam angle      |
| 1920lm  | 3000K              | 64°             |
| 1920lm  | 4000K              | 76°             |
| CRI     | Protection level   | Material        |
| ≥ 80    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ4613
- 3000K white ..... AZ4614
- 4000K black ..... AZ4615
- 4000K white ..... AZ4616




REGULAR

ALFA SAGA TRACK MAGNETIC CORNER B 24W 3000/4000K



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 24W             |
| Lumens  | Kelvins            | Beam angle      |
| 1920lm  | 3000K              | 64°             |
| 1920lm  | 4000K              | 76°             |
| CRI     | Protection level   | Material        |
| ≥ 80    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ4617
- 3000K white ..... AZ4618
- 4000K black ..... AZ4619
- 4000K white ..... AZ4620




REGULAR

ALFA SAGA II TRACK MAGNETIC CORNER A 25W 3000/4000K



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 25W             |
| Lumens  | Kelvins            | Beam angle      |
| 820lm   | 3000K              | 120°            |
| 1400lm  | 4000K              | 120°            |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ5496
- 4000K black ..... AZ5497




REGULAR

ALFA SAGA II TRACK MAGNETIC CORNER B 25W 3000/4000K



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 25W             |
| Lumens  | Kelvins            | Beam angle      |
| 820lm   | 3000K              | 120°            |
| 1400lm  | 4000K              | 120°            |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ5498
- 4000K black ..... AZ5499





REGULAR

ALFA KIRA TRACK MAGNETIC 12W 3000/4000K




points




|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 12W             |
| Lumens  | Kelvins            | Beam angle      |
| 960lm   | 3000K              | 53°             |
| 960lm   | 4000K              | 53°             |
| CRI     | Protection level   | Material        |
| ≥ 80    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ4595
- 3000K white ..... AZ4596
- 4000K black ..... AZ4597
- 4000K white ..... AZ4598



REGULAR

ALFA KIRA TRACK MAGNETIC 24W 3000/4000K



points



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 24W             |
| Lumens  | Kelvins            | Beam angle      |
| 1400lm  | 3000K              | 55°             |
| 1400lm  | 4000K              | 55°             |
| CRI     | Protection level   | Material        |
| ≥ 80    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ4599
- 3000K white ..... AZ4600
- 4000K black ..... AZ4601
- 4000K white ..... AZ4602



REGULAR

ALFA KIRA II TRACK MAGNETIC 6W 3000/4000K




points



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 6W              |
| Lumens  | Kelvins            | Beam angle      |
| 480lm   | 3000K              | 26°             |
| 480lm   | 4000K              | 27°             |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ5469
- 4000K black ..... AZ5470




REGULAR

ALFA SARI TRACK MAGNETIC 6W 3000/4000K



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>6W                 |
| Lumens<br>480lm | Kelvins<br>3000K                   | Beam angle<br>99°           |
| CRI<br>≥ 90     | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

- 3000K black ..... AZ5487
- 4000K black ..... AZ5488




tilt




REGULAR

ALFA SARI TRACK MAGNETIC 12W 3000K



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000K                   | Beam angle<br>103°          |
| CRI<br>≥ 90     | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

- 3000K black ..... AZ5489



tilt






REGULAR

ALFA CYRUS TRACK MAGNETIC 6W 3000/4000K



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 6W              |
| Lumens  | Kelvins            | Beam angle      |
| 480lm   | 3000K              | 27°             |
| 480lm   | 4000K              | 28°             |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  | Matt               |                 |

- 3000K black ..... AZ5482
- 4000K black ..... AZ5481



tilt


REGULAR

ALFA CYRUS TRACK MAGNETIC 12W 3000/4000K



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 12W             |
| Lumens  | Kelvins            | Beam angle      |
| 960lm   | 3000K              | 26°             |
| 960lm   | 4000K              | 27°             |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  | Matt               |                 |

- 3000K black ..... AZ5484
- 4000K black ..... AZ5483



tilt


REGULAR

ALFA CYRUS TRACK MAGNETIC 18W 3000K



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 18W             |
| Lumens  | Kelvins            | Beam angle      |
| 1440lm  | 3000K              | 27°             |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  | Matt               |                 |

- 3000K black ..... AZ5485




tilt





REGULAR

ALFA ALDO TRACK MAGNETIC 12W 3000K



|                 |                                    |                       |
|-----------------|------------------------------------|-----------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>12W          |
| Lumens<br>960lm | Kelvins<br>3000K                   | Beam angle<br>97°     |
| CRI<br>≥ 80     | Protection level<br>IP20           | Material<br>Aluminium |
| Finish<br>Matt  |                                    |                       |

- black ..... AZ4625
- white ..... AZ4626



Rotation possible only with Alfa Track Magnetic 27





REGULAR

ALFA ALDO TRACK MAGNETIC POINTS 12W 3000/4000K



|                 |                                    |                       |
|-----------------|------------------------------------|-----------------------|
| Voltage<br>48V  | Light source<br>1 x LED integrated | Power<br>12W          |
| Lumens<br>960lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>60°     |
| CRI<br>≥ 80     | Protection level<br>IP20           | Material<br>Aluminium |
| Finish<br>Matt  |                                    |                       |

- 3000K black ..... AZ4621
- 3000K white ..... AZ4622
- 4000K black ..... AZ4623
- 4000K white ..... AZ4624



Rotation possible only with Alfa Track Magnetic 27







REGULAR

ALFA NIKKI TRACK MAGNETIC 3W 3000K



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>3W                 |
| Lumens<br>240lm | Kelvins<br>3000K                   | Beam angle<br>27°           |
| CRI<br>≥ 90     | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

- black/black ..... AZ4589
- gold/black ..... AZ4591
- white/black ..... AZ4590





REGULAR

ALFA NIKKI 2 TRACK MAGNETIC 2X3W 3000K



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>2 x LED Integrated | Power<br>8W                 |
| Lumens<br>640lm | Kelvins<br>3000K                   | Beam angle<br>26°           |
| CRI<br>≥ 90     | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

- black/black ..... AZ4592
- gold/black ..... AZ4594
- white/black ..... AZ4593





REGULAR

ALFA NIKO TRACK MAGNETIC 7W 3000/4000K



|                          |                                    |                             |
|--------------------------|------------------------------------|-----------------------------|
| Voltage<br>48V           | Light source<br>1 x LED Integrated | Power<br>7W                 |
| Lumens<br>560lm<br>560lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>23°<br>20°    |
| CRI<br>≥ 80              | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt           |                                    |                             |

- 3000K black/black ..... AZ4583
- 3000K gold/black ..... AZ4579
- 3000K white/black ..... AZ4580
- 4000K black/black ..... AZ4581
- 4000K white/black ..... AZ4582





REGULAR

ALFA NIKO 2 TRACK MAGNETIC 2X7W 3000/4000K




|                            |                                    |                             |
|----------------------------|------------------------------------|-----------------------------|
| Voltage<br>48V             | Light source<br>2 x LED Integrated | Power<br>13W                |
| Lumens<br>1040lm<br>1040lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>20°<br>20°    |
| CRI<br>≥ 80                | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt             |                                    |                             |

- 3000K black/black ..... AZ4584
- 3000K gold/black ..... AZ4588
- 3000K white/black ..... AZ4585
- 4000K black/black ..... AZ4586
- 4000K white/black ..... AZ4587



REGULAR

ALFA MAKITA II TRACK MAGNETIC 12W 3000/4000K



|                          |                                    |                             |
|--------------------------|------------------------------------|-----------------------------|
| Voltage<br>48V           | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm<br>960lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>22°<br>23°    |
| CRI<br>≥ 90              | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt           |                                    |                             |




tilt



rotation

- 3000K black ..... AZ5491
- 4000K black ..... AZ5492
- 3000K white ..... AZ7190 **NEW**
- 4000K white ..... AZ7191 **NEW**




REGULAR

ALFA KORI TRACK MAGNETIC 5W 3000K



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>5W                 |
| Lumens<br>400lm | Kelvins<br>3000K                   | Beam angle<br>30°           |
| CRI<br>≥ 90     | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

- black ..... AZ4627
- gold ..... AZ4628






REGULAR

ALFA ELIN TRACK MAGNETIC 7W 3000/4000K




|         |                    |                   |
|---------|--------------------|-------------------|
| Voltage | Light source       | Power             |
| 48V     | 1 x LED Integrated | 7W                |
| Lumens  | Kelvins            | Beam angle        |
| 560lm   | 3000K              | 63°               |
| 560lm   | 4000K              | 56°               |
| CRI     | Protection level   | Material          |
| ≥ 80    | IP20               | Aluminium / Glass |
| Finish  |                    |                   |
| Matt    |                    |                   |

- 3000K black ..... AZ4630
- 4000K black ..... AZ4631




REGULAR

ALFA ARYA TRACK MAGNETIC 10W 3000K BK NEW




|                   |                    |                  |
|-------------------|--------------------|------------------|
| Voltage           | Light source       | Power            |
| 48V               | 1 x LED Integrated | 10W              |
| Lumens            | Kelvins            | Protection level |
| 800lm             | 3000K              | IP20             |
| Material          | Finish             |                  |
| Aluminium / Glass | Matt               |                  |

- black ..... AZ7098




REGULAR

ALFA ELSA TRACK MAGNETIC 7W 3000K




|         |                    |                   |
|---------|--------------------|-------------------|
| Voltage | Light source       | Power             |
| 48V     | 1 x LED Integrated | 7W                |
| Lumens  | Kelvins            | Beam angle        |
| 560lm   | 3000K              | 58°               |
| 560lm   | 4000K              | 58°               |
| CRI     | Protection level   | Material          |
| ≥ 80    | IP20               | Aluminium / Glass |
| Finish  |                    |                   |
| Matt    |                    |                   |

- 3000K black ..... AZ4633
- 3000K gold ..... AZ4635




ALFA 2LINE - CONTROL OPTIONS




ALFA 2LINE - CONTROL OPTIONS

DOORBELL TYPE WALL SWITCH + AZZARDO DIMMER TRIAC AZ3218



DOORBELL TYPE WALL SWITCH + AZZARDO DIMMER TRIAC AZ3218 - 1LINE SOLUTION



Azzardo Dimmer Triac AZ3218

FUNCTIONALY OF POSSIBLE OPTIONS:

| FUNCTION                       | 1                                                      | 2                                                            | 3                              | 4                                        |
|--------------------------------|--------------------------------------------------------|--------------------------------------------------------------|--------------------------------|------------------------------------------|
|                                | • switch ON/OFF & DIMM L1<br>• switch ON/OFF & DIMM L2 | • DIMM L1 and L2<br>• switch ON/OFF L1<br>• switch ON/OFF L2 | • L1 & L2 switch ON/OFF & DIMM | • switch ON/OFF L1<br>• switch ON/OFF L2 |
| Triac Dimm Wall Switch         | ✓                                                      | ✓                                                            | ✓                              |                                          |
| Dorbell + Azzardo Dimmer triac | ✓                                                      |                                                              | ✓                              |                                          |
| Wall Switch                    |                                                        |                                                              |                                | ✓                                        |




2LINE

ALFA SAGA TRACK MAGNETIC 2LINE CORNER A 24W CCT SWITCH DIMM



|                  |                                               |                             |
|------------------|-----------------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated            | Power<br>24W                |
| Lumens<br>1920lm | Kelvins<br>3000 / 4000 / 7000K                | Beam angle<br>104°          |
| CRI<br>≥ 90      | Protection level<br>IP20                      | Dimmable<br>Yes             |
| CCT<br>Yes       | Type of control<br>CCT Switch<br>Triac Dimmer | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                               |                             |

- black ..... AZ6244
- white ..... AZ6506 NEW




2LINE

ALFA SAGA TRACK MAGNETIC 2LINE CORNER B 24W CCT SWITCH DIMM



|                  |                                               |                             |
|------------------|-----------------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated            | Power<br>24W                |
| Lumens<br>1920lm | Kelvins<br>3000 / 4000 / 7000K                | Beam angle<br>69°           |
| CRI<br>≥ 90      | Protection level<br>IP20                      | Dimmable<br>Yes             |
| CCT<br>Yes       | Type of control<br>CCT Switch<br>Triac Dimmer | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                               |                             |

- black ..... AZ6245
- white ..... AZ6507 NEW




2LINE

ALFA SAGA TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM



|         |                            |                 |
|---------|----------------------------|-----------------|
| Voltage | Light source               | Power           |
| 48V     | 1 x LED Integrated         | 12W             |
| Lumens  | Kelvins                    | Beam angle      |
| 960lm   | 3000 / 4000 / 7000K        | 104°            |
| CRI     | Protection level           | Dimmable        |
| ≥ 90    | IP20                       | Yes             |
| CCT     | Type of control            | Material        |
| Yes     | CCT Switch<br>Triac Dimmer | Aluminium / PVC |
| Finish  |                            |                 |
| Matt    |                            |                 |

- black ..... AZ6236
- white ..... AZ6498 NEW




2LINE

ALFA SAGA TRACK MAGNETIC 2LINE 24W CCT SWITCH DIMM



|         |                            |                 |
|---------|----------------------------|-----------------|
| Voltage | Light source               | Power           |
| 48V     | 1 x LED Integrated         | 24W             |
| Lumens  | Kelvins                    | Beam angle      |
| 1920lm  | 3000 / 4000 / 7000K        | 104°            |
| CRI     | Protection level           | Dimmable        |
| ≥ 90    | IP20                       | Yes             |
| CCT     | Type of control            | Material        |
| Yes     | CCT Switch<br>Triac Dimmer | Aluminium / PVC |
| Finish  |                            |                 |
| Matt    |                            |                 |

- black ..... AZ6237
- white ..... AZ6499 NEW




2LINE

ALFA SAGA TRACK MAGNETIC 2LINE 36W CCT SWITCH DIMM




|         |                            |                 |
|---------|----------------------------|-----------------|
| Voltage | Light source               | Power           |
| 48V     | 1 x LED Integrated         | 36W             |
| Lumens  | Kelvins                    | Beam angle      |
| 2880lm  | 3000 / 4000 / 6000K        | 120°            |
| CRI     | Protection level           | Dimmable        |
| ≥ 90    | IP20                       | Yes             |
| CCT     | Type of control            | Material        |
| Yes     | CCT Switch<br>Triac Dimmer | Aluminium / PVC |
| Finish  |                            |                 |
| Matt    |                            |                 |

- black ..... AZ6238
- white ..... AZ6500 NEW




2LINE

ALFA SAGA TRACK MAGNETIC 2LINE 48W CCT SWITCH DIMM



|         |                            |                 |
|---------|----------------------------|-----------------|
| Voltage | Light source               | Power           |
| 48V     | 1 x LED Integrated         | 48W             |
| Lumens  | Kelvins                    | Beam angle      |
| 3840lm  | 3000 / 4000 / 7000K        | 105°            |
| CRI     | Protection level           | Dimmable        |
| ≥ 90    | IP20                       | Yes             |
| CCT     | Type of control            | Material        |
| Yes     | CCT Switch<br>Triac Dimmer | Aluminium / PVC |
| Finish  |                            |                 |
| Matt    |                            |                 |


- black ..... AZ6239
- white ..... AZ6501 NEW






2LINE

ALFA KIRA TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM




|         |                            |                 |
|---------|----------------------------|-----------------|
| Voltage | Light source               | Power           |
| 48V     | 1 x LED Integrated         | 12W             |
| Lumens  | Kelvins                    | Beam angle      |
| 960lm   | 3000 / 4000 / 7000K        | 36°             |
| CRI     | Protection level           | Dimmable        |
| ≥ 90    | IP20                       | Yes             |
| CCT     | Type of control            | Material        |
| Yes     | CCT Switch<br>Triac Dimmer | Aluminium / PVC |
| Finish  | Matt                       |                 |

- black ..... AZ6240
- white / black ..... AZ6502 NEW




2LINE

ALFA KIRA TRACK MAGNETIC 2LINE 24W CCT SWITCH DIMM




|         |                            |                 |
|---------|----------------------------|-----------------|
| Voltage | Light source               | Power           |
| 48V     | 1 x LED Integrated         | 24W             |
| Lumens  | Kelvins                    | Beam angle      |
| 1920lm  | 3000 / 4000 / 7000K        | 35°             |
| CRI     | Protection level           | Dimmable        |
| ≥ 90    | IP20                       | Yes             |
| CCT     | Type of control            | Material        |
| Yes     | CCT Switch<br>Triac Dimmer | Aluminium / PVC |
| Finish  | Matt                       |                 |

- black ..... AZ6241
- white / black ..... AZ6503 NEW




2LINE

ALFA KIRA TRACK MAGNETIC 2LINE 36W CCT SWITCH DIMM




|         |                            |                 |
|---------|----------------------------|-----------------|
| Voltage | Light source               | Power           |
| 48V     | 1 x LED Integrated         | 36W             |
| Lumens  | Kelvins                    | Beam angle      |
| 2880lm  | 3000 / 4000 / 7000K        | 36°             |
| CRI     | Protection level           | Dimmable        |
| ≥ 90    | IP20                       | Yes             |
| CCT     | Type of control            | Material        |
| Yes     | CCT Switch<br>Triac Dimmer | Aluminium / PVC |
| Finish  | Matt                       |                 |

- black ..... AZ6242
- white / black ..... AZ6504 NEW




2LINE

ALFA KIRA TRACK MAGNETIC 2LINE 48W CCT SWITCH DIMM



|         |                            |                 |
|---------|----------------------------|-----------------|
| Voltage | Light source               | Power           |
| 48V     | 1 x LED Integrated         | 48W             |
| Lumens  | Kelvins                    | Beam angle      |
| 3840lm  | 3000 / 4000 / 7000K        | 36°             |
| CRI     | Protection level           | Dimmable        |
| ≥ 90    | IP20                       | Yes             |
| CCT     | Type of control            | Material        |
| Yes     | CCT Switch<br>Triac Dimmer | Aluminium / PVC |
| Finish  | Matt                       |                 |

- black ..... AZ6243
- white / black ..... AZ6505 NEW



2LINE

ALFA CYRUS TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM



|              |                            |                 |
|--------------|----------------------------|-----------------|
| Voltage      | Light source               | Power           |
| 48V          | 1 x LED Integrated         | 12W             |
| Lumens       | Kelvins                    | Beam angle      |
| 960lm        | 3000 / 4000 / 6000K        | 28°             |
| CRI          | Protection level           | Dimmable        |
| ≥ 80         | IP20                       | Yes             |
| CCT          | Type of control            | Material        |
| Yes          | CCT Switch<br>Triac Dimmer | Aluminium / PVC |
| Finish       |                            |                 |
| Matt / Shiny |                            |                 |

- black

○ white / black

AZ6246

AZ6508

NEW
- 2,2

100°

tilt

6,8

2LINE

ALFA CYRUS TRACK MAGNETIC 2LINE 36W CCT SWITCH DIMM



|              |                            |                 |
|--------------|----------------------------|-----------------|
| Voltage      | Light source               | Power           |
| 48V          | 1 x LED Integrated         | 36W             |
| Lumens       | Kelvins                    | Beam angle      |
| 2880lm       | 3000 / 4000 / 6000K        | 28°             |
| CRI          | Protection level           | Dimmable        |
| ≥ 80         | IP20                       | Yes             |
| CCT          | Type of control            | Material        |
| Yes          | CCT Switch<br>Triac Dimmer | Aluminium / PVC |
| Finish       |                            |                 |
| Matt / Shiny |                            |                 |

- black

○ white / black

AZ6248

AZ6510

NEW
- 2,2

100°

tilt

6,8

2LINE

ALFA CYRUS TRACK MAGNETIC 2LINE 24W CCT SWITCH DIMM



|              |                            |                 |
|--------------|----------------------------|-----------------|
| Voltage      | Light source               | Power           |
| 48V          | 1 x LED Integrated         | 24W             |
| Lumens       | Kelvins                    | Beam angle      |
| 1920lm       | 3000 / 4000 / 6000K        | 28°             |
| CRI          | Protection level           | Dimmable        |
| ≥ 80         | IP20                       | Yes             |
| CCT          | Type of control            | Material        |
| Yes          | CCT Switch<br>Triac Dimmer | Aluminium / PVC |
| Finish       |                            |                 |
| Matt / Shiny |                            |                 |

- black

○ white / black

AZ6247

AZ6509

NEW
- 2,2

100°

tilt


6,8





2LINE

ALFA NIKO TRACK MAGNETIC 2LINE 7W CCT SWITCH DIMM



|                 |                                               |                             |
|-----------------|-----------------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated            | Power<br>7W                 |
| Lumens<br>560lm | Kelvins<br>3000 / 4000 / 6500K                | Beam angle<br>37°           |
| CRI<br>≥ 80     | Protection level<br>IP20                      | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>CCT Switch<br>Triac Dimmer | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                               |                             |

- black

○ white

.....

.....

AZ6249

AZ6511

NEW
- 90°

tilt

350°

rotation

12,5

3,5

2LINE

ALFA NIKO TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM



|                 |                                               |                             |
|-----------------|-----------------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated            | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000 / 4000 / 6500K                | Beam angle<br>41°           |
| CRI<br>≥ 80     | Protection level<br>IP20                      | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>CCT Switch<br>Triac Dimmer | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                               |                             |

- black

○ white

.....

.....

AZ6250

AZ6512

NEW
- 90°

tilt

350°

rotation

12,5

12

2LINE

ALFA NIKO TRACK MAGNETIC 2LINE 20W CCT SWITCH DIMM



|                  |                                               |                             |
|------------------|-----------------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated            | Power<br>20W                |
| Lumens<br>1600lm | Kelvins<br>3000 / 4000 / 6500K                | Beam angle<br>45°           |
| CRI<br>≥ 90      | Protection level<br>IP20                      | Dimmable<br>Yes             |
| CCT<br>Yes       | Type of control<br>CCT Switch<br>Triac Dimmer | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                               |                             |

- black

○ white

.....

.....

AZ6251

AZ6513

NEW
- 90°

tilt

350°

rotation

11,5

12,5

5

2LINE

ALFA MAKITA II TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM NEW



|                 |                                               |                             |
|-----------------|-----------------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated            | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000 / 4000 / 6000K                | Beam angle<br>26°           |
| CRI<br>≥ 90     | Protection level<br>IP20                      | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>CCT Switch<br>Triac Dimmer | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                               |                             |

- black

○ white

.....

.....

AZ7192

AZ7193

NEW
- 90°

tilt

350°

rotation

19

12

2LINE

ALFA NIKO 2 TRACK MAGNETIC 2LINE 2X7W CCT SWITCH DIMM



|                 |                                               |                             |
|-----------------|-----------------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>2 x LED Integrated            | Power<br>7W                 |
| Lumens<br>560lm | Kelvins<br>3000 / 4000 / 6500K                | Beam angle<br>38°           |
| CRI<br>≥ 90     | Protection level<br>IP20                      | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>CCT Switch<br>Triac Dimmer | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                               |                             |

- black ..... AZ6252
- white ..... AZ6514 NEW




2LINE

ALFA NIKO 2 TRACK MAGNETIC 2LINE 2X12W CCT SWITCH DIMM



|                 |                                               |                             |
|-----------------|-----------------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>2 x LED Integrated            | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000 / 4000 / 6500K                | Beam angle<br>42°           |
| CRI<br>≥ 90     | Protection level<br>IP20                      | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>CCT Switch<br>Triac Dimmer | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                               |                             |

- black ..... AZ6253
- white ..... AZ6515 NEW



2LINE

ALFA OPTICA TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM




Adjustable  
beam angle 20° - 60°



|                 |                                               |                             |
|-----------------|-----------------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated            | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000 / 4000 / 6500K                | Beam angle<br>20° - 60°     |
| CRI<br>≥ 90     | Protection level<br>IP20                      | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>CCT Switch<br>Triac Dimmer | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                               |                             |

- black ..... AZ6256
- white ..... AZ6517 NEW




2LINE

ALFA PORTO TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM



|                 |                                               |                             |
|-----------------|-----------------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated            | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000 / 4000 / 6500K                | Beam angle<br>31°           |
| CRI<br>≥ 90     | Protection level<br>IP20                      | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>CCT Switch<br>Triac Dimmer | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                               |                             |


- black ..... AZ6254
- white ..... AZ6516 NEW





2LINE


ALFA KERRY TRACK MAGNETIC 2LINE 7W CCT SWITCH DIMM



CCT SWITCH

|         |                            |                 |
|---------|----------------------------|-----------------|
| Voltage | Light source               | Power           |
| 48V     | 1 x LED Integrated         | 7W              |
| Lumens  | Kelvins                    | Beam angle      |
| 560lm   | 3000 / 4000 / 6500K        | 57°             |
| CRI     | Protection level           | Dimmable        |
| ≥ 90    | IP20                       | Yes             |
| CCT     | Type of control            | Material        |
| Yes     | CCT Switch<br>Triac Dimmer | Aluminium / PVC |
| Finish  | Matt                       |                 |

- black ..... AZ6255
- white ..... AZ6519 NEW



2LINE

ALFA MITUS TRACK MAGNETIC 2LINE 18W CCT SWITCH DIMM




CCT SWITCH

|         |                            |                 |
|---------|----------------------------|-----------------|
| Voltage | Light source               | Power           |
| 48V     | 1 x LED Integrated         | 18W             |
| Lumens  | Kelvins                    | Beam angle      |
| 1440lm  | 3000 / 4000 / 6500K        | 108°            |
| CRI     | Protection level           | Dimmable        |
| ≥ 90    | IP20                       | Yes             |
| CCT     | Type of control            | Material        |
| Yes     | CCT Switch<br>Triac Dimmer | Aluminium / PVC |
| Finish  | Matt                       |                 |

- black ..... AZ6257
  - white ..... AZ6518 NEW
- 45° tilt  
360° rotation  
14mm width  
11.5mm height  
15.5mm diameter




REMOTE CONTROL 4-GROUP & RGB & BLUETOOTH





\* RGB CHANGE ONLY USED FOR RGB LAMPS  
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION


REMOTE CONTROL 3-GROUP BLUETOOTH



SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH



BLUETOOTH GATEWAY (OPTIONAL)




The Bluetooth gateway is an optional device that connects to your home WiFi network and enables remote access to compatible lamps and devices via the Tuya Smart app. Thanks to the gateway, you can control your lighting and settings from anywhere. Without it, devices can still be operated locally using the remote control or any device connected to the same WiFi network.





ALFA MAKITA TRACK MAGNETIC 7W CCT BLUETOOTH



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 7W              |
| Lumens  | Kelvins            | Beam angle      |
| 560lm   | 3000 – 6000K       | 37°             |
| CRI     | Protection level   | Dimmable        |
| ≥ 80    | IP20               | Yes             |
| CCT     | Type of control    | Material        |
| Yes     | Bluetooth Tuya     | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

● black

○ white

.....

.....

AZ4836

AZ4837


90°

tilt

340°

rotation

16





ALFA MAKITA TRACK MAGNETIC 20W CCT BLUETOOTH



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 20W             |
| Lumens  | Kelvins            | Beam angle      |
| 1600lm  | 3000 – 6500K       | 50°             |
| CRI     | Protection level   | Dimmable        |
| ≥ 80    | IP20               | Yes             |
| CCT     | Type of control    | Material        |
| Yes     | Bluetooth Tuya     | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

● black

○ white

.....

.....

AZ4840

AZ4841


90°

tilt

340°

rotation

20





ALFA MAKITA 2 TRACK MAGNETIC 2X7W CCT BLUETOOTH



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 2 x LED Integrated | 14W             |
| Lumens  | Kelvins            | Beam angle      |
| 1120lm  | 3000 – 6500K       | 38°             |
| CRI     | Protection level   | Dimmable        |
| ≥ 80    | IP20               | Yes             |
| CCT     | Type of control    | Material        |
| Yes     | Bluetooth Tuya     | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

● black

○ white

.....

.....

AZ4838

AZ4839


90°

tilt

340°

rotation

16





ALFA MAKITA TRACK MAGNETIC 30W CCT BLUETOOTH



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 30W             |
| Lumens  | Kelvins            | Beam angle      |
| 2400lm  | 3000 – 6500K       | 50°             |
| CRI     | Protection level   | Dimmable        |
| ≥ 80    | IP20               | Yes             |
| CCT     | Type of control    | Material        |
| Yes     | Bluetooth Tuya     | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

● black

○ white

.....

.....

AZ4842

AZ4843


90°

tilt

340°

rotation

23





ALFA MAKITA II TRACK MAGNETIC 12W CCT BLUETOOTH



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000 - 6000K            | Beam angle<br>26°           |
| CRI<br>≥ 90     | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

● black

○ white

.....

.....

AZ5512

AZ7194

NEW

90°

tilt

360°

rotation

19





ALFA MAKITA II TRACK MAGNETIC 24W CCT BLUETOOTH



|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated | Power<br>24W                |
| Lumens<br>1920lm | Kelvins<br>3000 - 6500K            | Beam angle<br>30°           |
| CRI<br>≥ 90      | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes       | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |

● black

.....

AZ5513

90°

tilt

360°

rotation


21







ALFA SAGA TRACK MAGNETIC 12W CCT BLUETOOTH




milky diffuser




|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000 – 6000K            | Beam angle<br>112°          |
| CRI<br>≥ 80     | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |


- black ..... AZ4846
- white ..... AZ4847



ALFA SAGA TRACK MAGNETIC 20W CCT BLUETOOTH




milky diffuser




|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated | Power<br>20W                |
| Lumens<br>1600lm | Kelvins<br>3000 – 6000K            | Beam angle<br>112°          |
| CRI<br>≥ 80      | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes       | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |

- black ..... AZ4848
- white ..... AZ4849



ALFA SAGA TRACK MAGNETIC 36W CCT BLUETOOTH




milky diffuser




|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated | Power<br>36W                |
| Lumens<br>2880lm | Kelvins<br>3000 – 6500K            | Beam angle<br>104°          |
| CRI<br>≥ 80      | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes       | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |

- black ..... AZ4850
- white ..... AZ4851






ALFA SAGA II TRACK MAGNETIC 12W CCT BLUETOOTH



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 12W             |
| Lumens  | Kelvins            | Beam angle      |
| 960lm   | 3000 - 6000K       | 106°            |
| CRI     | Protection level   | Dimmable        |
| ≥ 90    | IP20               | Yes             |
| CCT     | Type of control    | Material        |
| Yes     | Bluetooth Tuya     | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |






ALFA SAGA TRACK MAGNETIC CORNER A 24W CCT BLUETOOTH NEW



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 25W             |
| Lumens  | Kelvins            | Beam angle      |
| 2000lm  | 3000 - 6000K       |                 |
| CRI     | Protection level   | Dimmable        |
| ≥ 90    | IP20               | Yes             |
| CCT     | Type of control    | Material        |
| Yes     | Bluetooth Tuya     | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- black ..... AZ6708 NEW
- white ..... AZ6709 NEW






ALFA SAGA II TRACK MAGNETIC CORNER B 25W CCT BLUETOOTH



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 25W             |
| Lumens  | Kelvins            | Beam angle      |
| 2000lm  | 3000 - 6000K       |                 |
| CRI     | Protection level   | Dimmable        |
| ≥ 90    | IP20               | Yes             |
| CCT     | Type of control    | Material        |
| Yes     | Bluetooth Tuya     | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |


- black ..... AZ5515








ALFA KIRA TRACK MAGNETIC 12W POINTS50 CCT BLUETOOTH




|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000 - 6500K            | Beam angle<br>53°           |
| CRI<br>≥ 90     | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |






ALFA KIRA TRACK MAGNETIC 30W POINTS50 CCT BLUETOOTH




|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated | Power<br>30W                |
| Lumens<br>2400lm | Kelvins<br>3000 - 6500K            | Beam angle<br>55°           |
| CRI<br>≥ 90      | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes       | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |






ALFA KIRA TRACK MAGNETIC 20W POINTS50 CCT BLUETOOTH



|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated | Power<br>20W                |
| Lumens<br>1600lm | Kelvins<br>3000 - 6000K            | Beam angle<br>55°           |
| CRI<br>≥ 90      | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes       | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |





ALFA KIRA II TRACK MAGNETIC 6W CCT BLUETOOTH




points



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>6W                 |
| Lumens<br>480lm | Kelvins<br>3000 - 6000K            | Beam angle<br>35°           |
| CRI<br>≥ 90     | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

- black ..... AZ5502





ALFA KIRA II TRACK MAGNETIC 12W CCT BLUETOOTH




points



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000 - 6000K            | Beam angle<br>35°           |
| CRI<br>≥ 90     | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

- black ..... AZ5503






ALFA CYRUS TRACK MAGNETIC 6W CCT BLUETOOTH



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>6W                 |
| Lumens<br>480lm | Kelvins<br>3000 - 5500K            | Beam angle<br>35°           |
| CRI<br>≥ 90     | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

- black ..... AZ5507








ALFA SARI TRACK MAGNETIC 6W CCT BLUETOOTH




|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 6W              |
| Lumens  | Kelvins            | Beam angle      |
| 480lm   | 3000 - 6000K       | 100°            |
| CRI     | Protection level   | Dimmable        |
| ≥ 90    | IP20               | Yes             |
| CCT     | Type of control    | Material        |
| Yes     | Bluetooth Tuya     | Aluminium / PVC |
| Finish  | Matt               |                 |






ALFA SARI TRACK MAGNETIC 12W CCT BLUETOOTH



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 12W             |
| Lumens  | Kelvins            | Beam angle      |
| 960lm   | 3000 - 6000K       | 103°            |
| CRI     | Protection level   | Dimmable        |
| ≥ 90    | IP20               | Yes             |
| CCT     | Type of control    | Material        |
| Yes     | Bluetooth Tuya     | Aluminium / PVC |
| Finish  | Matt               |                 |






ALFA SONYA TRACK MAGNETIC 20W CCT BLUETOOTH



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 20W             |
| Lumens  | Kelvins            | Beam angle      |
| 1600lm  | 3000 - 6500K       | 45°             |
| CRI     | Protection level   | Dimmable        |
| ≥ 90    | IP20               | Yes             |
| CCT     | Type of control    | Material        |
| Yes     | Bluetooth Tuya     | Aluminium / PVC |
| Finish  | Matt               |                 |






ALFA KERRY TRACK MAGNETIC 5W CCT BLUETOOTH




|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>5W                 |
| Lumens<br>400lm | Kelvins<br>3000 – 6500K            | Beam angle<br>48°           |
| CRI<br>≥ 80     | Protection level<br>IP20           |                             |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |



ALFA KERRY TRACK MAGNETIC 7W CCT BLUETOOTH




|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>7W                 |
| Lumens<br>560lm | Kelvins<br>3000 – 6000K            | Beam angle<br>34°           |
| CRI<br>≥ 90     | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |



ALFA KERRY TRACK MAGNETIC 15W CCT BLUETOOTH




|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated | Power<br>15W                |
| Lumens<br>1200lm | Kelvins<br>3000 – 6500K            | Beam angle<br>38°           |
| CRI<br>≥ 80      | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes       | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |








SIMPLIFIED DIAGRAMA OF THE DALI SYSTEM



DALI

ALFA SAGA TRACK MAGNETIC 12W DALI CCT DIMM



milky diffuser



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000 – 6000K            | Beam angle<br>120°          |
| CRI<br>≥ 90     | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>DALI            | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

- black


.....

AZ6284
- white

.....


AZ7247

NEW



DALI

ALFA SAGA TRACK MAGNETIC 24W DALI CCT DIMM



milky diffuser



|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated | Power<br>24W                |
| Lumens<br>1920lm | Kelvins<br>3000 – 7000K            | Beam angle<br>104°          |
| CRI<br>≥ 90      | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes       | Type of control<br>DALI            | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |

- black


.....

AZ6285
- white

.....


AZ7248

NEW



DALI

ALFA SAGA TRACK MAGNETIC 36W DALI CCT DIMM



milky diffuser



|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated | Power<br>36W                |
| Lumens<br>2880lm | Kelvins<br>3000 – 6000K            | Beam angle<br>120°          |
| CRI<br>≥ 90      | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes       | Type of control<br>DALI            | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |

- black


.....

AZ6494
- white

.....

AZ7251


NEW





DALI

ALFA SAGA TRACK MAGNETIC 24W DALI CORNER A CCT DIMM



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 24W             |
| Lumens  | Kelvins            | Beam angle      |
| 1920lm  | 4000 - 6500K       | 103°            |
| CRI     | Protection level   | Dimmable        |
| ≥ 90    | IP20               | Yes             |
| CCT     | Type of control    | Material        |
| Yes     | DALI               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- black ..... AZ6288
  - white ..... AZ7249 NEW
- 
- 2,2l  
2,5l  
24,2

DALI

ALFA SAGA TRACK MAGNETIC 24W DALI CORNER B CCT DIMM



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 24W             |
| Lumens  | Kelvins            | Beam angle      |
| 1920lm  | 4000 - 7000K       | 69°             |
| CRI     | Protection level   | Dimmable        |
| ≥ 90    | IP20               | Yes             |
| CCT     | Type of control    | Material        |
| Yes     | DALI               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- black ..... AZ6289
  - white ..... AZ7250 NEW
- 
- 25  
2,5  
2,2

DALI






DALI

ALFA KIRA TRACK MAGNETIC 12W DALI CCT DIMM



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000 – 6000K            | Beam angle<br>38°           |
| CRI<br>≥ 90     | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>DALI            | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |




DALI

ALFA KIRA TRACK MAGNETIC 36W DALI CCT DIMM



|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated | Power<br>36W                |
| Lumens<br>2880lm | Kelvins<br>4000 – 7000K            | Beam angle<br>36°           |
| CRI<br>≥ 90      | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes       | Type of control<br>DALI            | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |




DALI

ALFA KIRA TRACK MAGNETIC 24W DALI CCT DIMM



|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated | Power<br>24W                |
| Lumens<br>1920lm | Kelvins<br>4000 – 7000K            | Beam angle<br>36°           |
| CRI<br>≥ 90      | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes       | Type of control<br>DALI            | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |






DALI

ALFA NIKO TRACK MAGNETIC 7W DALI CCT DIMM



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>7W                 |
| Lumens<br>560lm | Kelvins<br>4000 - 6500K            | Beam angle<br>37°           |
| CRI<br>≥ 90     | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>DALI            | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

• black ..... AZ6290




DALI

ALFA NIKO TRACK MAGNETIC 12W DALI CCT DIMM



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>4000 - 5500K            | Beam angle<br>41°           |
| CRI<br>≥ 90     | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>DALI            | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

• black ..... AZ6291




DALI

ALFA NIKO TRACK MAGNETIC 20W DALI CCT DIMM



|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated | Power<br>20W                |
| Lumens<br>1600lm | Kelvins<br>4000 - 6500K            | Beam angle<br>42°           |
| CRI<br>≥ 90      | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes       | Type of control<br>DALI            | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |

• black ..... AZ6292




DALI

ALFA NIKO 2 TRACK MAGNETIC 7W DALI CCT DIMM



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>2 x LED Integrated | Power<br>7W                 |
| Lumens<br>560lm | Kelvins<br>4000 - 6500K            | Beam angle<br>37°           |
| CRI<br>≥ 90     | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>DALI            | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

• black ..... AZ6293






**BETA  
TRACK MAGNETIC**






BETA TRACK MAGNETIC INSTALLATION SCHEME






BETA TRACK MAGNETIC INSTALLATION SCHEME




| BETA TRACK MAGNETIC57 230V (1m, 2m, 3m) |       |       |        |     |
|-----------------------------------------|-------|-------|--------|-----|
| Length/Color/Code                       |       |       |        |     |
| ● 1m                                    | beige | ..... | AZ7314 | NEW |
| ● 1m                                    | black | ..... | AZ5139 |     |
| ○ 1m                                    | white | ..... | AZ5140 |     |
| ● 2m                                    | beige | ..... | AZ7315 | NEW |
| ● 2m                                    | black | ..... | AZ5141 |     |
| ○ 2m                                    | white | ..... | AZ5142 |     |
| ● 3m                                    | beige | ..... | AZ7316 | NEW |
| ● 3m                                    | black | ..... | AZ5143 |     |
| ○ 3m                                    | white | ..... | AZ5144 |     |




DESIGN PATENTED BY AZZARDO




| BETA TRACK MAGNETIC57 230V (1m, 2m, 3m) |           |       |        |  |
|-----------------------------------------|-----------|-------|--------|--|
| Anodised Chocolate                      |           |       |        |  |
| Length/Color/Code                       |           |       |        |  |
| ● 1m                                    | chocolate | ..... | AZ6374 |  |
| ● 2m                                    | chocolate | ..... | AZ6376 |  |
| ● 3m                                    | chocolate | ..... | AZ6378 |  |



DESIGN PATENTED BY AZZARDO




| BETA TRACK MAGNETIC57 230V (1m, 2m, 3m) |      |       |        |  |
|-----------------------------------------|------|-------|--------|--|
| Anodised Gold                           |      |       |        |  |
| Length/Color/Code                       |      |       |        |  |
| ● 1m                                    | gold | ..... | AZ6375 |  |
| ● 2m                                    | gold | ..... | AZ6377 |  |
| ● 3m                                    | gold | ..... | AZ6379 |  |



DESIGN PATENTED BY AZZARDO




| BETA TRACK MAGNETIC57 230V (1m, 2m, 3m) |        |       |        |  |
|-----------------------------------------|--------|-------|--------|--|
| Anodised Silver                         |        |       |        |  |
| Length/Color/Code                       |        |       |        |  |
| ● 1m                                    | silver | ..... | AZ6436 |  |
| ● 2m                                    | silver | ..... | AZ6437 |  |
| ● 3m                                    | silver | ..... | AZ6438 |  |




DESIGN PATENTED BY AZZARDO



| BETA TRACK MAGNETIC57 230V CORNER90 A |       |        |     |  |
|---------------------------------------|-------|--------|-----|--|
| Color/Code                            |       |        |     |  |
| ● beige                               | ..... | AZ7626 | NEW |  |
| ● black                               | ..... | AZ5158 |     |  |
| ○ white                               | ..... | AZ5159 |     |  |
| ● chocolate                           | ..... | AZ6380 |     |  |
| ● gold                                | ..... | AZ6381 |     |  |
| ● silver                              | ..... | AZ6439 |     |  |




| BETA TRACK MAGNETIC57 230V CORNER90 B |       |        |     |  |
|---------------------------------------|-------|--------|-----|--|
| Color/Code                            |       |        |     |  |
| ● beige                               | ..... | AZ7327 | NEW |  |
| ● black                               | ..... | AZ5160 |     |  |
| ○ white                               | ..... | AZ5161 |     |  |
| ● chocolate                           | ..... | AZ6382 |     |  |
| ● gold                                | ..... | AZ6383 |     |  |
| ● silver                              | ..... | AZ6440 |     |  |



| BETA TRACK MAGNETIC57 230V CORNER T A |       |        |     |  |
|---------------------------------------|-------|--------|-----|--|
| Color/Code                            |       |        |     |  |
| ● beige                               | ..... | AZ7385 | NEW |  |
| ● black                               | ..... | AZ6701 |     |  |
| ○ white                               | ..... | AZ6704 |     |  |



| BETA TRACK MAGNETIC 230V STRAIGHT CONNECTOR MECHANICAL |       |        |  |  |
|--------------------------------------------------------|-------|--------|--|--|
| Color/Code                                             |       |        |  |  |
| ● black                                                | ..... | AZ5151 |  |  |









BETA TRACK MAGNETIC57 230V COVER

|            |         |       |        |     |
|------------|---------|-------|--------|-----|
| Color/Code | ● beige | ..... | AZ7331 | NEW |
|            | ● black | ..... | AZ5168 |     |
|            | ○ white | ..... | AZ5169 |     |



BETA TRACK MAGNETIC57 230V END CAP

|            |             |       |        |     |
|------------|-------------|-------|--------|-----|
| Color/Code | ● beige     | ..... | AZ7330 | NEW |
|            | ● black     | ..... | AZ5166 |     |
|            | ○ white     | ..... | AZ5167 |     |
|            | ● chocolate | ..... | AZ6384 |     |
|            | ● gold      | ..... | AZ6385 |     |
|            | ● silver    | ..... | AZ6441 |     |




BETA TRACK MAGNETIC 230V SUSPENSION KIT

|            |         |       |        |     |
|------------|---------|-------|--------|-----|
| Color/Code | ● beige | ..... | AZ7324 | NEW |
|            | ● black | ..... | AZ5155 |     |




CEILING PLATE + WIRE

|            |         |       |        |  |
|------------|---------|-------|--------|--|
| Color/Code | ● black | ..... | AZ4780 |  |
|            | ○ white | ..... | AZ4782 |  |




BETA TRACK MAGNETIC57 230V ELECTRICAL CONNECTOR

|            |         |       |        |  |
|------------|---------|-------|--------|--|
| Color/Code | ● black | ..... | AZ5154 |  |
|------------|---------|-------|--------|--|



BETA TRACK MAGNETIC57 230V FLEX CONNECTOR ELECTRIC

|            |         |       |        |  |
|------------|---------|-------|--------|--|
| Color/Code | ● black | ..... | AZ5153 |  |
|------------|---------|-------|--------|--|





BETA TRACK MAGNETIC57 230V ELECTRICAL CONNECTOR T

|            |         |       |        |  |
|------------|---------|-------|--------|--|
| Color/Code | ● black | ..... | AZ6706 |  |
|            | ○ white | ..... | AZ6707 |  |




BETA TRACK MAGNETIC57 230V STRAIGHT CONNECTOR ELECTRIC

|            |         |       |        |  |
|------------|---------|-------|--------|--|
| Color/Code | ● black | ..... | AZ5152 |  |
|------------|---------|-------|--------|--|




BETA TRACK MAGNETIC 230V ADAPTER FOR PENDANT LAMP

|            |         |       |        |     |
|------------|---------|-------|--------|-----|
| Color/Code | ● beige | ..... | AZ7325 | NEW |
|            | ● black | ..... | AZ5156 |     |
|            | ○ white | ..... | AZ5157 |     |




BETA TRACK MAGNETIC INSTALLATION SCHEME



BETA TRACK MAGNETIC57 230V GIPS 1 (1m, 2m, 3m)

| Length/Color/Code |       |       |        |  |
|-------------------|-------|-------|--------|--|
| ● 1m              | black | ..... | AZ5145 |  |
| ○ 1m              | white | ..... | AZ5146 |  |
| ● 2m              | black | ..... | AZ5147 |  |
| ○ 2m              | white | ..... | AZ5148 |  |
| ● 3m              | black | ..... | AZ5149 |  |
| ○ 3m              | white | ..... | AZ5150 |  |





DESIGN PATENTED BY AZZARDO




BETA TRACK MAGNETIC57 230V CORNER90 A GIPS1

| Color/Code |       |        |  |  |
|------------|-------|--------|--|--|
| ● black    | ..... | AZ5162 |  |  |
| ○ white    | ..... | AZ5163 |  |  |



BETA TRACK MAGNETIC57 230V CORNER90 B GIPS1

| Color/Code |       |        |  |  |
|------------|-------|--------|--|--|
| ● black    | ..... | AZ5164 |  |  |
| ○ white    | ..... | AZ5165 |  |  |




BETA TRACK MAGNETIC57 230V CONNECTOR T GIPS1

| Color/Code |       |        |  |  |
|------------|-------|--------|--|--|
| ● black    | ..... | AZ6702 |  |  |
| ○ white    | ..... | AZ6705 |  |  |




BETA TRACK MAGNETIC57 230V GIPS 2 (1m, 2m, 3m)

| Length/Color/Code |       |       |        |  |
|-------------------|-------|-------|--------|--|
| ● 1m              | black | ..... | AZ5170 |  |
| ● 2m              | black | ..... | AZ5171 |  |
| ● 3m              | black | ..... | AZ5172 |  |





DESIGN PATENTED BY AZZARDO




BETA TRACK MAGNETIC57 230V CORNER90 A GIPS2

| Color/Code |       |        |  |  |
|------------|-------|--------|--|--|
| ● black    | ..... | AZ5173 |  |  |



BETA TRACK MAGNETIC57 230V CORNER90 B GIPS2

| Color/Code |       |        |  |  |
|------------|-------|--------|--|--|
| ● black    | ..... | AZ5174 |  |  |




BETA TRACK MAGNETIC57 230V CONNECTOR T GIPS2

| Color/Code |       |        |  |  |
|------------|-------|--------|--|--|
| ● black    | ..... | AZ6703 |  |  |




BETA TRACK MAGNETIC INSTALLATION SCHEME





**BETA TRACK MAGNETIC50 EASYFIX 230V (1m, 2m, 3m)**

|                   |      |       |       |        |
|-------------------|------|-------|-------|--------|
| Length/Color/Code | ● 1m | black | ..... | AZ6067 |
|                   | ● 2m | black | ..... | AZ6068 |
|                   | ● 3m | black | ..... | AZ6069 |




**BETA TRACK MAGNETIC50 EASYFIX 230V CORNER90 A**

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ6072 |
|------------|---------|-------|--------|




**BETA TRACK MAGNETIC50 EASYFIX 230V CORNER90 B**

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ6073 |
|------------|---------|-------|--------|




**BETA TRACK MAGNETIC50 EASYFIX 230V END CAP**

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ6074 |
|------------|---------|-------|--------|




**BETA TRACK MAGNETIC50 EASYFIX 230V SPRING X1**

|            |            |       |        |
|------------|------------|-------|--------|
| Color/Code | ● aluminum | ..... | AZ6071 |
|------------|------------|-------|--------|




**BETA/ALFA TRACK MAGNETIC50 EASYFIX 230V MOUNTING PLATE**

|            |            |       |        |
|------------|------------|-------|--------|
| Color/Code | ● aluminum | ..... | AZ6070 |
|------------|------------|-------|--------|




**BETA TRACK MAGNETIC57 230V ELECTRICAL CONNECTOR**

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5154 |
|------------|---------|-------|--------|




**BETA TRACK MAGNETIC57 230V FLEX CONNECTOR ELECTRIC**

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5153 |
|------------|---------|-------|--------|




**BETA TRACK MAGNETIC57 230V STRAIGHT CONNECTOR ELECTRIC**

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5152 |
|------------|---------|-------|--------|




BETA SAGA 230V TRACK MAGNETIC 9W 3000/4000K




|                          |                                    |                             |
|--------------------------|------------------------------------|-----------------------------|
| Voltage<br>- 230V        | Light source<br>1 x LED integrated | Power<br>9W                 |
| Lumens<br>720lm<br>720lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>120°<br>120°  |
| CRI<br>≥ 90              | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt           |                                    |                             |

- 3000K beige ..... AZ7352 NEW
- 3000K black ..... AZ5190
- 3000K white ..... AZ6470
- 4000K beige ..... AZ7373 NEW
- 4000K black ..... AZ5214
- 4000K white ..... AZ6471




BETA SAGA 230V TRACK MAGNETIC 18W 3000/4000K




|                            |                                    |                             |
|----------------------------|------------------------------------|-----------------------------|
| Voltage<br>- 230V          | Light source<br>1 x LED integrated | Power<br>18W                |
| Lumens<br>1440lm<br>1440lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>120°<br>120°  |
| CRI<br>≥ 90                | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt             |                                    |                             |

- 3000K beige ..... AZ7353 NEW
- 3000K black ..... AZ5191
- 3000K white ..... AZ6464
- 4000K beige ..... AZ7374 NEW
- 4000K black ..... AZ5215
- 4000K white ..... AZ6465




BETA SAGA 230V TRACK MAGNETIC 27W 3000/4000K



|                            |                                    |                             |
|----------------------------|------------------------------------|-----------------------------|
| Voltage<br>- 230V          | Light source<br>1 x LED integrated | Power<br>27W                |
| Lumens<br>2160lm<br>2160lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>120°<br>120°  |
| CRI<br>≥ 90                | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt             |                                    |                             |

- 3000K beige ..... AZ7354 NEW
- 3000K black ..... AZ5192
- 3000K white ..... AZ6466
- 4000K beige ..... AZ7375 NEW
- 4000K black ..... AZ5216
- 4000K white ..... AZ6467





BETA KIRA 230V TRACK MAGNETIC 9W 3000/4000K




points



|                          |                                    |                             |
|--------------------------|------------------------------------|-----------------------------|
| Voltage<br>- 230V        | Light source<br>1 x LED integrated | Power<br>9W                 |
| Lumens<br>720lm<br>720lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>24°<br>24°    |
| CRI<br>≥ 90              | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt           |                                    |                             |

- 3000K beige ..... AZ7349 NEW
- 3000K black ..... AZ5187
- 3000K white ..... AZ6460
- 4000K beige ..... AZ7370 NEW
- 4000K black ..... AZ5211
- 4000K white ..... AZ6461



BETA KIRA 230V TRACK MAGNETIC 18W 3000/4000K




points




|                            |                                    |                             |
|----------------------------|------------------------------------|-----------------------------|
| Voltage<br>- 230V          | Light source<br>1 x LED integrated | Power<br>18W                |
| Lumens<br>1440lm<br>1440lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>24°<br>24°    |
| CRI<br>≥ 90                | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt             |                                    |                             |

- 3000K beige ..... AZ7350 NEW
- 3000K black ..... AZ5188
- 3000K white ..... AZ6456
- 4000K beige ..... AZ7371 NEW
- 4000K black ..... AZ5212
- 4000K white ..... AZ6457



BETA KIRA 230V TRACK MAGNETIC 27W 3000/4000K




points



|                            |                                    |                             |
|----------------------------|------------------------------------|-----------------------------|
| Voltage<br>- 230V          | Light source<br>1 x LED integrated | Power<br>27W                |
| Lumens<br>2160lm<br>2160lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>24°<br>24°    |
| CRI<br>≥ 90                | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt             |                                    |                             |


- 3000K beige ..... AZ7351 NEW
- 3000K black ..... AZ5189
- 3000K white ..... AZ6458
- 4000K beige ..... AZ7372 NEW
- 4000K black ..... AZ5213
- 4000K white ..... AZ6459




BETA SANDERS 230V TRACK MAGNETIC 9W 3000/4000K



|                          |                                    |                             |
|--------------------------|------------------------------------|-----------------------------|
| Voltage<br>~ 230V        | Light source<br>1 x LED integrated | Power<br>9W                 |
| Lumens<br>720lm<br>720lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>24°<br>24°    |
| CRI<br>≥ 90              | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt           |                                    |                             |




- 3000K beige ..... AZ7355 NEW
- 3000K black ..... AZ5193
- 4000K beige ..... AZ7356 NEW
- 4000K black ..... AZ5194




BETA MAKITA 230V TRACK MAGNETIC 10W 3000/4000K



|                          |                                    |                             |
|--------------------------|------------------------------------|-----------------------------|
| Voltage<br>~ 230V        | Light source<br>1 x LED integrated | Power<br>10W                |
| Lumens<br>800lm<br>800lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>24°<br>24°    |
| CRI<br>≥ 90              | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt           |                                    |                             |




- 3000K beige ..... AZ7361 NEW
- 3000K black ..... AZ5199
- 3000K white ..... AZ6462
- 4000K beige ..... AZ7362 NEW
- 4000K black ..... AZ5200
- 4000K white ..... AZ6463




BETA MAKITA 230V TRACK MAGNETIC 20W 3000/4000K



|                            |                                    |                             |
|----------------------------|------------------------------------|-----------------------------|
| Voltage<br>~ 230V          | Light source<br>1 x LED integrated | Power<br>20W                |
| Lumens<br>1600lm<br>1600lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>24°<br>24°    |
| CRI<br>≥ 90                | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt             |                                    |                             |



- 3000K black ..... AZ5201
- 3000K beige ..... AZ7363 NEW
- 4000K black ..... AZ5202
- 4000K beige ..... AZ7364 NEW







BETA OPTICA 230V TRACK MAGNETIC 7W 3000/4000K



|                          |                                    |                                      |
|--------------------------|------------------------------------|--------------------------------------|
| Voltage<br>~ 230V        | Light source<br>1 x LED integrated | Power<br>7W                          |
| Lumens<br>560lm<br>560lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>15° - 38°<br>15° - 38° |
| CRI<br>≥ 90              | Protection level<br>IP20           | Material<br>Aluminium / PVC          |
| Finish<br>Matt           |                                    |                                      |




- 3000K beige ..... AZ7357 NEW
- 3000K black ..... AZ5195
- 3000K white ..... AZ6468
- 4000K beige ..... AZ7358 NEW
- 4000K black ..... AZ5196
- 4000K white ..... AZ6469




BETA OPTICA 230V TRACK MAGNETIC 10W 3000/4000K



|                          |                                    |                                      |
|--------------------------|------------------------------------|--------------------------------------|
| Voltage<br>~ 230V        | Light source<br>1 x LED integrated | Power<br>10W                         |
| Lumens<br>800lm<br>800lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>15° - 38°<br>15° - 38° |
| CRI<br>≥ 90              | Protection level<br>IP20           | Material<br>Aluminium / PVC          |
| Finish<br>Matt           |                                    |                                      |




- 3000K beige ..... AZ7360 NEW
- 3000K black ..... AZ5198
- 4000K beige ..... AZ7359 NEW
- 4000K black ..... AZ5197



ADJUSTABLE BEAM ANGLE

Selectable beam angle: 15° / 24° / 38°



Rotatable optical lens




BETA KERRY 230V TRACK MAGNETIC 10W 3000/4000K



|                          |                                    |                             |
|--------------------------|------------------------------------|-----------------------------|
| Voltage<br>~ 230V        | Light source<br>1 x LED integrated | Power<br>10W                |
| Lumens<br>800lm<br>800lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>24°<br>24°    |
| CRI<br>≥ 90              | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt           |                                    |                             |

- 3000K beige ..... AZ7365 NEW
- 3000K black ..... AZ5203
- 4000K beige ..... AZ7366 NEW
- 4000K black ..... AZ5204







BETA BECKER 230V TRACK MAGNETIC GU10



|                             |                                   |                          |
|-----------------------------|-----------------------------------|--------------------------|
| Voltage<br>~ 230V           | Light source<br>1 x GU10 only LED | Protection level<br>IP20 |
| Material<br>Aluminium / PVC | Finish<br>Matt                    |                          |




- beige ..... AZ7376 NEW
- black ..... AZ5465
- white ..... AZ5466




BETA GARY 230V TRACK MAGNETIC GU10



|                             |                                   |                          |
|-----------------------------|-----------------------------------|--------------------------|
| Voltage<br>~ 230V           | Light source<br>1 x GU10 only LED | Protection level<br>IP20 |
| Material<br>Aluminium / PVC | Finish<br>Matt                    |                          |




- beige ..... AZ7369 NEW
- black ..... AZ5207
- white ..... AZ5208




BETA GARY 2 230V TRACK MAGNETIC GU10 NEW



|                   |                                   |                             |
|-------------------|-----------------------------------|-----------------------------|
| Voltage<br>~ 230V | Light source<br>2 x GU10 only LED | Material<br>Aluminium / PVC |
| Finish<br>Matt    |                                   |                             |



- beige ..... AZ7384 NEW
- black ..... AZ6692 NEW
- white ..... AZ6691 NEW



BLUETOOTH LED BULBS CCT DIMM




GU10 | 4,9W ..... AZ5421



E14 | 4,9W ..... AZ5422



E27 | 9W ..... AZ5423



BETA TRACK MAGNETIC 230V ADAPTER FOR PENDANT LAMP



● beige ..... AZ7325



● black ..... AZ5156




○ white ..... AZ5157






REMOTE CONTROL 4-GROUP & RGB & BLUETOOTH





\* RGB CHANGE ONLY USED FOR RGB LAMPS  
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION

REMOTE CONTROL 3-GROUP BLUETOOTH



SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH



**BLUETOOTH GATEWAY (OPTIONAL)**


The Bluetooth gateway is an optional device that connects to your home WiFi network and enables remote access to compatible lamps and devices via the Tuya Smart app. Thanks to the gateway, you can control your lighting and settings from anywhere. Without it, devices can still be operated locally using the remote control or any device connected to the same WiFi network.

Router

Bluetooth Gateway Smart AZ4856



BETA SAGA 230V TRACK MAGNETIC 9W CCT BLUETOOTH



|                   |                                    |                             |
|-------------------|------------------------------------|-----------------------------|
| Voltage<br>- 230V | Light source<br>1 x LED integrated | Power<br>9W                 |
| Lumens<br>720lm   | Kelvins<br>3000 - 6000K            | Beam angle<br>120°          |
| CRI<br>≥ 90       | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes        | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt    |                                    |                             |

- beige


.....

AZ7340

NEW
- black


.....

AZ5178





BETA SAGA 230V TRACK MAGNETIC 27W CCT BLUETOOTH



|                   |                                    |                             |
|-------------------|------------------------------------|-----------------------------|
| Voltage<br>- 230V | Light source<br>1 x LED integrated | Power<br>27W                |
| Lumens<br>2160lm  | Kelvins<br>3000 - 6000K            | Beam angle<br>120°          |
| CRI<br>≥ 90       | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes        | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt    |                                    |                             |

- beige


.....

AZ7342

NEW
- black


.....

AZ5180





BETA SAGA 230V TRACK MAGNETIC 18W CCT BLUETOOTH



|                   |                                    |                             |
|-------------------|------------------------------------|-----------------------------|
| Voltage<br>- 230V | Light source<br>1 x LED integrated | Power<br>18W                |
| Lumens<br>1440lm  | Kelvins<br>3000 - 6000K            | Beam angle<br>120°          |
| CRI<br>≥ 90       | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes        | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt    |                                    |                             |

- beige


.....

AZ7341

NEW
- black


.....

AZ5179





BETA SAGA 230V TRACK MAGNETIC 18W RGB-CW BLUETOOTH



|                   |                                    |                             |
|-------------------|------------------------------------|-----------------------------|
| Voltage<br>- 230V | Light source<br>1 x LED integrated | Power<br>18W                |
| Lumens<br>1440lm  | Kelvins<br>3000 - 6000K            | Beam angle<br>120°          |
| CRI<br>≥ 90       | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes        | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt    |                                    |                             |

- beige


.....

AZ7367

NEW
- black

.....

AZ5205







BETA KIRA 230V TRACK MAGNETIC 9W CCT BLUETOOTH



|                   |                                    |                             |
|-------------------|------------------------------------|-----------------------------|
| Voltage<br>- 230V | Light source<br>1 x LED integrated | Power<br>9W                 |
| Lumens<br>720lm   | Kelvins<br>3000 - 6000K            | Beam angle<br>24°           |
| CRI<br>≥ 90       | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes        | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt    |                                    |                             |

- beige


.....

AZ7337

NEW
- black

.....

AZ5175





BETA KIRA 230V TRACK MAGNETIC 18W CCT BLUETOOTH



|                   |                                    |                             |
|-------------------|------------------------------------|-----------------------------|
| Voltage<br>- 230V | Light source<br>1 x LED integrated | Power<br>18W                |
| Lumens<br>1440lm  | Kelvins<br>3000 - 6000K            | Beam angle<br>24°           |
| CRI<br>≥ 90       | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes        | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt    |                                    |                             |

- beige


.....

AZ7338

NEW
- black


.....

AZ5176





BETA KIRA 230V TRACK MAGNETIC 27W CCT BLUETOOTH



|                   |                                    |                             |
|-------------------|------------------------------------|-----------------------------|
| Voltage<br>- 230V | Light source<br>1 x LED integrated | Power<br>27W                |
| Lumens<br>2160lm  | Kelvins<br>3000 - 6000K            | Beam angle<br>24°           |
| CRI<br>≥ 90       | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes        | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt    |                                    |                             |

- beige


.....

AZ7339

NEW
- black

.....

AZ5177





BETA KERRY 230V TRACK MAGNETIC 10W CCT BLUETOOTH



|                   |                                    |                             |
|-------------------|------------------------------------|-----------------------------|
| Voltage<br>- 230V | Light source<br>1 x LED integrated | Power<br>10W                |
| Lumens<br>800lm   | Kelvins<br>3000 - 6000K            | Beam angle<br>24°           |
| CRI<br>≥ 90       | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes        | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt    |                                    |                             |

- black

○ white

● beige
- .....


.....

.....
- AZ5186

AZ7233

AZ7348
- NEW

NEW





BETA SANDERS 230V TRACK MAGNETIC 9W CCT BLUETOOTH





|                   |                                    |                             |
|-------------------|------------------------------------|-----------------------------|
| Voltage<br>- 230V | Light source<br>1 x LED integrated | Power<br>9W                 |
| Lumens<br>720lm   | Kelvins<br>3000 - 6000K            | Beam angle<br>24°           |
| CRI<br>≥ 90       | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes        | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt    |                                    |                             |

- beige

● black
- .....

.....
- AZ7343

AZ5181
- NEW







BETA MAKITA 230V TRACK MAGNETIC 10W CCT BLUETOOTH



|                   |                                    |                             |
|-------------------|------------------------------------|-----------------------------|
| Voltage<br>- 230V | Light source<br>1 x LED integrated | Power<br>10W                |
| Lumens<br>800lm   | Kelvins<br>3000 - 6000K            | Beam angle<br>24°           |
| CRI<br>≥ 90       | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes        | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt    |                                    |                             |

● beige

● black

.....

.....

AZ7346

AZ5184

NEW

90°

tilt

350°

rotation

18

25

5

10



BETA MAKITA 230V TRACK MAGNETIC 20W CCT BLUETOOTH



|                   |                                    |                             |
|-------------------|------------------------------------|-----------------------------|
| Voltage<br>- 230V | Light source<br>1 x LED integrated | Power<br>20W                |
| Lumens<br>1600lm  | Kelvins<br>3000 - 6000K            | Beam angle<br>24°           |
| CRI<br>≥ 90       | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes        | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt    |                                    |                             |

● beige

● black

.....

.....

AZ7347

AZ5185

NEW

90°

tilt

350°

rotation

21

27

13

6



BETA MAKITA 230V TRACK MAGNETIC 10W  
RGB-CW CCT BLUETOOTH



|                   |                                    |                             |
|-------------------|------------------------------------|-----------------------------|
| Voltage<br>- 230V | Light source<br>1 x LED integrated | Power<br>10W                |
| Lumens<br>800lm   | Kelvins<br>3000 - 6000K            | Beam angle<br>24°           |
| CRI<br>≥ 90       | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes        | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt    |                                    |                             |

● beige

● black

.....

.....

AZ7368

AZ5206

NEW

90°

tilt

350°

rotation

18

25

5

10





BETA OPTICA 230V TRACK MAGNETIC 7W CCT BLUETOOTH



|                   |                                    |                             |
|-------------------|------------------------------------|-----------------------------|
| Voltage<br>~ 230V | Light source<br>1 x LED integrated | Power<br>7W                 |
| Lumens<br>560lm   | Kelvins<br>3000 – 6000K            | Beam angle<br>15° – 38°     |
| CRI<br>≥ 90       | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes        | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt    |                                    |                             |

● beige

.....

AZ7344

NEW

● black

.....

AZ5182

90°




tilt

350°



rotation

16



23

8,5



4



ADJUSTABLE BEAM ANGLE

Selectable beam angle: 15° / 24° / 38°



BETA OPTICA 230V TRACK MAGNETIC 10W CCT BLUETOOTH



|                   |                                    |                             |
|-------------------|------------------------------------|-----------------------------|
| Voltage<br>~ 230V | Light source<br>1 x LED integrated | Power<br>10W                |
| Lumens<br>800lm   | Kelvins<br>3000 – 6000K            | Beam angle<br>15° – 38°     |
| CRI<br>≥ 90       | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes        | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt    |                                    |                             |

● beige

.....

AZ7345

NEW

● black

.....

AZ5183

90°




tilt

350°



rotation

18




25

10



5



Rotatable optical lens




DELTA  
TRACK MAGNETIC  
SUPER SLIM NEW








DELTA TRACK MAGNETIC SUPER SLIM INSTALLATION OPTIONS




- DELTA TRACK MAGNETIC SUPER SLIM (1m, 1,5m, 2m)
- Length/Color/Code
- 1m    black    .....    AZ6975
  - 1,5m    black    .....    AZ6977
  - 2m    black    .....    AZ6976





- DELTA TRACK MAGNETIC SUPER SLIM CORNER90 A BK
- Color/Code
- black    .....    AZ6980




- DELTA TRACK MAGNETIC SUPER SLIM CORNER90 B BK
- Color/Code
- black    .....    AZ6981




- DELTA TRACK MAGNETIC SUPER SLIM T CONNECTOR BK
- Color/Code
- black    .....    AZ6982



- DELTA TRACK MAGNETIC SUPER SLIM END CAP BK
- Color/Code
- black    .....    AZ6983




- DELTA TRACK MAGNETIC SUPER SLIM CURVE R30
- Color/Code
- black    .....    AZ6978



- DELTA TRACK MAGNETIC SUPER SLIM CURVE R60
- Color/Code
- black    .....    AZ6979



- DELTA TRACK MAGNETIC SUPER SLIM ROD SUSPENSION
- Length/Color/Code
- 10cm black    .....    AZ7001
  - 30-60cm black    .....    AZ7004
  - 60-120cm black    .....    AZ7005



- DELTA TRACK MAGNETIC SUPER SLIM DOUBLE ROD SUSPENSION
- Length/Color/Code
- 10cm black    .....    AZ7007
  - 30-60cm black    .....    AZ6678
  - 60-120cm black    .....    AZ6679







**DELTA TRACK MAGNETIC SUPER SLIM ELECTRIC ROD SUSPENSION**

Length/Color/Code

- 10cm black ..... **AZ7000**
- 30-60cm black ..... **AZ7002**
- 60-120cm black ..... **AZ7003**



**DELTA TRACK MAGNETIC SUPER SLIM DOUBLE ELECTRIC ROD SUSPENSION**

Length/Color/Code


- 10cm black ..... **AZ7006**
- 30-60cm black ..... **AZ7008**
- 60-120cm black ..... **AZ6677**



**DELTA TRACK MAGNETIC SUPER SLIM GIPS (1m, 2m)**

Length/Color/Code



- 1m black ..... **AZ6992**
- 2m black ..... **AZ6993**



**DELTA TRACK MAGNETIC SUPER SLIM GIPS CORNER90 A BK**

Color/Code



- black ..... **AZ6994**



**DELTA TRACK MAGNETIC SUPER SLIM GIPS CORNER90 B BK**

Color/Code

- black ..... **AZ6995**



**DELTA TRACK MAGNETIC SUPER SLIM T GIPS CONNECTOR BK**

Color/Code

- black ..... **AZ6999**



**DELTA TRACK MAGNETIC SUPER SLIM GIPS END CAP BK**

Color/Code

- black ..... **AZ6996**



**DELTA TRACK MAGNETIC SUPER SLIM STRAIGHT MECHANICAL CONNECTOR**

Code

..... **AZ6986**



**DELTA TRACK MAGNETIC SUPER SLIM 48V STRAIGHT ELECTRIC CONNECTOR BK**

Color/Code

- black ..... **AZ6989**



**DELTA TRACK MAGNETIC SUPER SLIM T CONNECTOR ELECTRIC BK**

Color/Code

- black ..... **AZ6997**



DELTA TRACK MAGNETIC SUPER SLIM 48V FLEX ELECTRIC  
CONNECTOR BK

Color/Code      ● black      ..... AZ6988



DELTA TRACK MAGNETIC SUPER SLIM 48V DRIVER  
ELECTRIC CONNECTOR BK

Color/Code      ● black      ..... AZ6987



DRIVER OUTSIDE MEANWELL (100W, 200W, 350W)

|            |      |       |        |
|------------|------|-------|--------|
| Power/Code | 100W | ..... | AZ4691 |
|            | 200W | ..... | AZ4692 |



DELTA TRACK MAGNETIC SUPER SLIM CCT DIMM  
BLUETOOTH DRIVER 48V BK (100W, 200W)

|                  |              |       |        |
|------------------|--------------|-------|--------|
| Power/Color/Code | ● 100W black | ..... | AZ6990 |
|                  | ● 200W black | ..... | AZ6991 |



DELTA TRACK MAGNETIC SUPER SLIM DRIVER 200W 48V  
DALI ONE ADDRESS BK

Power/Color/Code    ● 200W black ..... AZ7554



CONTROLLER CCT DIMM BLUETOOTH MAX. 200W

Code ..... AZ7380






DELTA TRACK MAGNETIC CONTROL OPTIONS

OPTION 1 (BLUETOOTH DRIVER)

DELTA TRACK MAGNETIC SUPER SLIM CCT DIMM BLUETOOTH DRIVER 48V BK (100W, 200W)



STANDARD      OPTION REMOTE CONTROL




**IMPORTANT: All luminaires must be installed in ONE direction**

Rotate 180° to change colour temperature: Dir. A = 2700K | Dir. B = 6200K

DELTA TRACK MAGNETIC CONTROL OPTIONS

OPTION 2 (DRIVER OUTSIDE + CONTROLLER BLEUTOOTH)

DRIVER OUTSIDE MEANWELL (100W, 200W) + CONTROLLER CCT DIMM BLUETOOTH MAX. 200W




STANDARD      OPTION REMOTE CONTROL




**IMPORTANT: All luminaires must be installed in ONE direction**

Rotate 180° to change colour temperature: Dir. A = 2700K | Dir. B = 6200K

DELTA TRACK MAGNETIC CONTROL OPTIONS



DELTA TRACK MAGNETIC SUPER SLIM CCT CHANGE BY POLARITY






DELTA TRACK MAGNETIC SUPER SLIM CEILING BASE NEW




DELTA TRACK MAGNETIC SUPER SLIM CEILING BASE BK  
Code/Color      ● black      ..... AZ6680




SMART APP  
TUYA



DELTA TRACK MAGNETIC SUPER SLIM DOUBLE (1,5m)  
Length/Color/Code      ● 1,5m   black      ..... AZ7389




DELTA TRACK MAGNETIC SUPER SLIM PENDANT 150 SET 32W+10W BK NEW



|                  |                                   |                             |
|------------------|-----------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>3x LED integrated | Power<br>2x 16W + 1x 10W    |
| Lumens<br>3360lm | Kelvins<br>2700K / 6200K          | Protection level<br>IP20    |
| CCT<br>Yes       | Type of control<br>Bluetooth Tuya | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                   |                             |

● black ..... AZ6998



SMART APP  
TUYA




DELTA TRACK MAGNETIC SUPER SLIM FLEX LAMP CCT NEW




|         |                        |                  |
|---------|------------------------|------------------|
| Voltage | Light source           | Power            |
| 48V     | 1x LED integrated      | 6W               |
| Lumens  | Kelvins                | Protection level |
| 175lm   | 2700K / 6200K          | IP20             |
| CCT     | Type of control        | Material         |
| Yes     | Bluetooth Tuya or DALI | Aluminium / PVC  |
| Finish  |                        |                  |
| Matt    |                        |                  |

○ white ..... AZ7303



|         |                        |                  |
|---------|------------------------|------------------|
| Voltage | Light source           | Power            |
| 48V     | 1x LED integrated      | 12W              |
| Lumens  | Kelvins                | Protection level |
| 349lm   | 2700K / 6200K          | IP20             |
| CCT     | Type of control        | Material         |
| Yes     | Bluetooth Tuya or DALI | Aluminium / PVC  |
| Finish  |                        |                  |
| Matt    |                        |                  |

○ white ..... AZ7304




|         |                        |                  |
|---------|------------------------|------------------|
| Voltage | Light source           | Power            |
| 48V     | 1x LED integrated      | 18W              |
| Lumens  | Kelvins                | Protection level |
| 698lm   | 2700K / 6200K          | IP20             |
| CCT     | Type of control        | Material         |
| Yes     | Bluetooth Tuya or DALI | Aluminium / PVC  |
| Finish  |                        |                  |
| Matt    |                        |                  |

○ white ..... AZ7305







DELTA SAGI TRACK MAGNETIC SUPER SLIM 7W CCT BK NEW




|         |                        |                  |
|---------|------------------------|------------------|
| Voltage | Light source           | Power            |
| 48V     | 1x LED integrated      | 7W               |
| Lumens  | Kelvins                | Protection level |
| 560lm   | 2700K / 6200K          | IP20             |
| CCT     | Type of control        | Material         |
| Yes     | Bluetooth Tuya or DALI | Aluminium / PVC  |
| Finish  |                        |                  |
| Matt    |                        |                  |




DELTA KIRKA TRACK MAGNETIC SUPER SLIM 7W CCT BK NEW




|         |                        |                  |
|---------|------------------------|------------------|
| Voltage | Light source           | Power            |
| 48V     | 1x LED integrated      | 7W               |
| Lumens  | Kelvins                | Protection level |
| 560lm   | 2700K / 6200K          | IP20             |
| CCT     | Type of control        | Material         |
| Yes     | Bluetooth Tuya or DALI | Aluminium / PVC  |
| Finish  |                        |                  |
| Matt    |                        |                  |




DELTA SAGI TRACK MAGNETIC SUPER SLIM 14W CCT BK NEW




|         |                        |                  |
|---------|------------------------|------------------|
| Voltage | Light source           | Power            |
| 48V     | 1x LED integrated      | 14W              |
| Lumens  | Kelvins                | Protection level |
| 1120lm  | 2700K / 6200K          | IP20             |
| CCT     | Type of control        | Material         |
| Yes     | Bluetooth Tuya or DALI | Aluminium / PVC  |
| Finish  |                        |                  |
| Matt    |                        |                  |




DELTA KIRKA TRACK MAGNETIC SUPER SLIM 14W CCT BK NEW



|         |                        |                  |
|---------|------------------------|------------------|
| Voltage | Light source           | Power            |
| 48V     | 1x LED integrated      | 14W              |
| Lumens  | Kelvins                | Protection level |
| 1120lm  | 2700K / 6200K          | IP20             |
| CCT     | Type of control        | Material         |
| Yes     | Bluetooth Tuya or DALI | Aluminium / PVC  |
| Finish  |                        |                  |
| Matt    |                        |                  |




DELTA SAGA TRACK MAGNETIC SUPER SLIM 10W CCT BK NEW




|         |                        |                  |
|---------|------------------------|------------------|
| Voltage | Light source           | Power            |
| 48V     | 1x LED integrated      | 10W              |
| Lumens  | Kelvins                | Protection level |
| 800lm   | 2700K / 6200K          | IP20             |
| CCT     | Type of control        | Material         |
| Yes     | Bluetooth Tuya or DALI | Aluminium / PVC  |
| Finish  |                        |                  |
| Matt    |                        |                  |

- black ..... AZ5397




DELTA KIRA TRACK MAGNETIC SUPER SLIM 10W CCT BK NEW




|         |                        |                  |
|---------|------------------------|------------------|
| Voltage | Light source           | Power            |
| 48V     | 1x LED integrated      | 10W              |
| Lumens  | Kelvins                | Protection level |
| 800lm   | 2700K / 6200K          | IP20             |
| CCT     | Type of control        | Material         |
| Yes     | Bluetooth Tuya or DALI | Aluminium / PVC  |
| Finish  |                        |                  |
| Matt    |                        |                  |

- black ..... AZ5399




DELTA SAGA TRACK MAGNETIC SUPER SLIM 20W CCT BK NEW




|         |                        |                  |
|---------|------------------------|------------------|
| Voltage | Light source           | Power            |
| 48V     | 1x LED integrated      | 20W              |
| Lumens  | Kelvins                | Protection level |
| 1600lm  | 2700K / 6200K          | IP20             |
| CCT     | Type of control        | Material         |
| Yes     | Bluetooth Tuya or DALI | Aluminium / PVC  |
| Finish  |                        |                  |
| Matt    |                        |                  |

- black ..... AZ5398




DELTA KIRA TRACK MAGNETIC SUPER SLIM 20W CCT BK NEW



|         |                        |                  |
|---------|------------------------|------------------|
| Voltage | Light source           | Power            |
| 48V     | 1x LED integrated      | 20W              |
| Lumens  | Kelvins                | Protection level |
| 1600lm  | 2700K / 6200K          | IP20             |
| CCT     | Type of control        | Material         |
| Yes     | Bluetooth Tuya or DALI | Aluminium / PVC  |
| Finish  |                        |                  |
| Matt    |                        |                  |

- black ..... AZ5400






DELTA TEMIDA TRACK MAGNETIC SUPER SLIM 12W CCT BK NEW




|                        |                                              |                             |
|------------------------|----------------------------------------------|-----------------------------|
| Voltage<br>48V         | Light source<br>1x LED integrated            | Power<br>12W                |
| Lumens<br>960lm        | Kelvins<br>2700K / 6200K                     | Protection level<br>IP20    |
| CCT<br>Yes             | Type of control<br>Bluetooth Tuya<br>or DALI | Material<br>Aluminium / PVC |
| Finish<br>Matt / Shiny |                                              |                             |



DELTA TEMIDA TRACK MAGNETIC SUPER SLIM 18W CCT BK NEW




|                  |                                              |                             |
|------------------|----------------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1x LED integrated            | Power<br>18W                |
| Lumens<br>1440lm | Kelvins<br>2700K / 6200K                     | Protection level<br>IP20    |
| CCT<br>Yes       | Type of control<br>Bluetooth Tuya<br>or DALI | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                              |                             |



DELTA PAVO TRACK MAGNETIC SUPER SLIM 7W CCT BK NEW




|         |                        |                  |
|---------|------------------------|------------------|
| Voltage | Light source           | Power            |
| 48V     | 1x LED integrated      | 7W               |
| Lumens  | Kelvins                | Protection level |
| 560lm   | 2700K / 6200K          | IP20             |
| CCT     | Type of control        | Material         |
| Yes     | Bluetooth Tuya or DALI | Aluminium / PVC  |
| Finish  | Matt                   |                  |



DELTA PAVO TRACK MAGNETIC SUPER SLIM 12W CCT BK NEW




|         |                        |                  |
|---------|------------------------|------------------|
| Voltage | Light source           | Power            |
| 48V     | 1x LED integrated      | 12W              |
| Lumens  | Kelvins                | Protection level |
| 960lm   | 2700K / 6200K          | IP20             |
| CCT     | Type of control        | Material         |
| Yes     | Bluetooth Tuya or DALI | Aluminium / PVC  |
| Finish  | Matt                   |                  |



DELTA ANTILA TRACK MAGNETIC SUPER SLIM 3W CCT BK NEW




|         |                        |                  |
|---------|------------------------|------------------|
| Voltage | Light source           | Power            |
| 48V     | 1x LED integrated      | 3W               |
| Lumens  | Kelvins                | Protection level |
| 240lm   | 2700K / 6200K          | IP20             |
| CCT     | Type of control        | Material         |
| Yes     | Bluetooth Tuya or DALI | Aluminium / PVC  |
| Finish  | Matt                   |                  |



DELTA ANTILA TRACK MAGNETIC SUPER SLIM 7W CCT BK NEW



|         |                        |                  |
|---------|------------------------|------------------|
| Voltage | Light source           | Power            |
| 48V     | 1x LED integrated      | 7W               |
| Lumens  | Kelvins                | Protection level |
| 560lm   | 2700K / 6200K          | IP20             |
| CCT     | Type of control        | Material         |
| Yes     | Bluetooth Tuya or DALI | Aluminium / PVC  |
| Finish  | Matt                   |                  |






DELTA DORADO TRACK MAGNETIC SUPER SLIM D10 CCT CLEAR NEW



|         |                        |                  |
|---------|------------------------|------------------|
| Voltage | Light source           | Power            |
| 48V     | 1x LED integrated      | 5W               |
| Lumens  | Kelvins                | Protection level |
| 400lm   | 2700K / 6200K          | IP20             |
| CCT     | Type of control        | Material         |
| Yes     | Bluetooth Tuya or DALI | Glass / PVC      |
| Finish  |                        |                  |
| Shiny   |                        |                  |

- clear ..... AZ5409




DELTA DORADO TRACK MAGNETIC SUPER SLIM D12 CCT CLEAR NEW



|         |                        |                  |
|---------|------------------------|------------------|
| Voltage | Light source           | Power            |
| 48V     | 1x LED integrated      | 5W               |
| Lumens  | Kelvins                | Protection level |
| 400lm   | 2700K / 6200K          | IP20             |
| CCT     | Type of control        | Material         |
| Yes     | Bluetooth Tuya or DALI | Glass / PVC      |
| Finish  |                        |                  |
| Shiny   |                        |                  |

- clear ..... AZ5410




DELTA DORADO TRACK MAGNETIC SUPER SLIM D10 CCT MILKY NEW



|         |                        |                  |
|---------|------------------------|------------------|
| Voltage | Light source           | Power            |
| 48V     | 1x LED integrated      | 5W               |
| Lumens  | Kelvins                | Protection level |
| 400lm   | 2700K / 6200K          | IP20             |
| CCT     | Type of control        | Material         |
| Yes     | Bluetooth Tuya or DALI | Glass / PVC      |
| Finish  |                        |                  |
| Matt    |                        |                  |

- white ..... AZ6973




DELTA DORADO TRACK MAGNETIC SUPER SLIM D12 CCT MILKY NEW



|         |                        |                  |
|---------|------------------------|------------------|
| Voltage | Light source           | Power            |
| 48V     | 1x LED integrated      | 5W               |
| Lumens  | Kelvins                | Protection level |
| 400lm   | 2700K / 6200K          | IP20             |
| CCT     | Type of control        | Material         |
| Yes     | Bluetooth Tuya or DALI | Glass / PVC      |
| Finish  |                        |                  |
| Matt    |                        |                  |

- white ..... AZ6974




DELTA MENSA TRACK MAGNETIC SUPER SLIM 10W CCT BK NEW




|                 |                                              |                             |
|-----------------|----------------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1x LED integrated            | Power<br>10W                |
| Lumens<br>800lm | Kelvins<br>2700K / 6200K                     | Protection level<br>IP20    |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya<br>or DALI | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                              |                             |

- black ..... AZ5407




DELTA DRACO TRACK MAGNETIC SUPER SLIM 7W CCT BK NEW



|                 |                                              |                             |
|-----------------|----------------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1x LED integrated            | Power<br>7W                 |
| Lumens<br>560lm | Kelvins<br>2700K / 6200K                     | Protection level<br>IP20    |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya<br>or DALI | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                              |                             |

- black ..... AZ5408




DELTA KERRY TRACK MAGNETIC SUPER SLIM 7W CCT BK NEW



|                 |                                              |                             |
|-----------------|----------------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1x LED integrated            | Power<br>7W                 |
| Lumens<br>560lm | Kelvins<br>2700K / 6200K                     | Protection level<br>IP20    |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya<br>or DALI | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                              |                             |

- black ..... AZ5405







**GAMMA  
TRACK MAGNETIC**






GAMMA TRACK INSTALLATION SCHEME




- GAMMA TRACK MAGNETIC 5mm + 2X END CAP TRACK  
(1m, 2m)
- |      |       |       |        |
|------|-------|-------|--------|
| o 1m | white | ..... | AZ5314 |
| o 2m | white | ..... | AZ5315 |



DESIGN PATENTED BY AZZARDO




- GAMMA TRACK MAGNETIC 5mm OX + 2X END CAP TRACK  
(1m, 1,5m, 2m, 3m)
- |                   |        |       |       |        |
|-------------------|--------|-------|-------|--------|
| Length/Color/Code | ● 1m   | black | ..... | AZ5914 |
|                   | ● 1,5m | black | ..... | AZ5915 |
|                   | ● 2m   | black | ..... | AZ5916 |
|                   | ● 3m   | black | ..... | AZ5917 |




DESIGN PATENTED BY AZZARDO




- GAMMA TRACK MAGNETIC 5mm T CONNECTOR
- |            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5316 |
|            | o white | ..... | AZ5317 |





- GAMMA TRACK MAGNETIC 5mm X CONNECTOR
- |            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5318 |
|            | o white | ..... | AZ5319 |




- GAMMA TRACK MAGNETIC 5mm STRAIGHT CONNECTOR
- |            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5320 |
|            | o white | ..... | AZ5321 |




- GAMMA TRACK MAGNETIC 5mm L CONNECTOR
- |            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5324 |
|            | o white | ..... | AZ5325 |



- GAMMA TRACK MAGNETIC 5mm ROUND CORNER90
- |            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5326 |
|            | o white | ..... | AZ5327 |



- GAMMA TRACK MAGNETIC 5mm INNER CORNER90
- |            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5322 |
|            | o white | ..... | AZ5323 |








GAMMA TRACK MAGNETIC 35mm (1m, 1,5m, 2m, 3m)

Length/Color/Code

- 1m black ..... AZ 5 5 6 1
- 1,5m black ..... AZ 5 5 6 2
- 2m black ..... AZ 5 5 6 3
- 3m black ..... AZ 5 5 6 4



GAMMA TRACK MAGNETIC 35mm COVER

Color/Code


- black ..... AZ 6 4 0 4



GAMMA TRACK MAGNETIC 35mm ELECTRIC CONNECTOR 180

Color/Code


- black ..... AZ 5 5 4 2



GAMMA TRACK MAGNETIC 35mm ELECTRIC CONNECTOR FLEX

Color/Code



- black ..... AZ 5 5 4 3



GAMMA TRACK MAGNETIC 35mm STRAIGHT MECHANICAL CONNECTOR

Color/Code

- black ..... AZ 5 5 4 4



GAMMA TRACK MAGNETIC 35mm UNIVERSAL SUSPENSION KIT 2M

Length/Color/Code


- 2m black ..... AZ 5 5 3 7



GAMMA TRACK MAGNETIC 35mm CORNER90 A

Color/Code


- black ..... AZ 5 5 6 5



GAMMA TRACK MAGNETIC 35mm CORNER90 B

Color/Code


- black ..... AZ 5 5 6 6



GAMMA TRACK MAGNETIC DRIVER (100W, 200W)

Power/Color/Code


- 100W black ..... AZ 5 3 3 0
- 100W white ..... AZ 5 3 3 1
- 200W black ..... AZ 5 3 3 2
- 200W white ..... AZ 5 3 3 3




GAMMA TRACK MAGNETIC DRIVER ROUNDED INSIDE (100W, 200W)

Power/Color/Code

- 100W black ..... AZ 5 5 7 8
- 200W black ..... AZ 5 5 7 9




GAMMA TRACK INSTALLATION SCHEME





GAMMA TRACK MAGNETIC GIPS1 (1m, 1,5m, 2m, 3m)

|                   |        |       |       |        |
|-------------------|--------|-------|-------|--------|
| Length/Color/Code | ● 1m   | black | ..... | AZ5533 |
|                   | ● 1,5m | black | ..... | AZ5534 |
|                   | ● 2m   | black | ..... | AZ5535 |
|                   | ● 3m   | black | ..... | AZ5536 |




GAMMA TRACK MAGNETIC GIPS2 (1m, 1,5m, 2m, 3m)

|                   |        |       |       |        |
|-------------------|--------|-------|-------|--------|
| Length/Color/Code | ● 1m   | black | ..... | AZ5529 |
|                   | ● 1,5m | black | ..... | AZ5530 |
|                   | ● 2m   | black | ..... | AZ5531 |
|                   | ● 3m   | black | ..... | AZ5532 |




GAMMA TRACK MAGNETIC GIPS1  
CORNER90 A

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5538 |
|------------|---------|-------|--------|




GAMMA TRACK MAGNETIC GIPS1  
CORNER90 B

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5539 |
|------------|---------|-------|--------|





GAMMA TRACK MAGNETIC GIPS2  
CORNER90 A

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5540 |
|------------|---------|-------|--------|





GAMMA TRACK MAGNETIC GIPS2  
CORNER90 B

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5541 |
|------------|---------|-------|--------|



GAMMA TRACK MAGNETIC 5mm DRIVER CONNETOR

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5328 |
|            | ○ white | ..... | AZ5329 |




DRIVER OUTSIDE MEANWELL  
(100W, 200W, 350W)

|            |      |     |        |
|------------|------|-----|--------|
| Power/Code | 100W | ... | AZ4691 |
|            | 200W | ... | AZ4692 |
|            | 350W | ... | AZ4866 |



GAMMA TRACK MAGNETIC 35mm DRIVER CONNETOR

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ6403 |
|------------|---------|-------|--------|




DRIVER OUTSIDE MEANWELL  
(100W, 200W, 350W)

|            |      |     |        |
|------------|------|-----|--------|
| Power/Code | 100W | ... | AZ4691 |
|            | 200W | ... | AZ4692 |
|            | 350W | ... | AZ4866 |




GAMMA SAGA TRACK MAGNETIC 10W 3000/4000K




|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 10W             |
| Lumens  | Kelvins            | Beam angle      |
| 800lm   | 3000K              | 160°            |
| 800lm   | 4000K              |                 |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ5298
- 4000K black ..... AZ5299




GAMMA SAGA TRACK MAGNETIC 30W 3000/4000K



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 30W             |
| Lumens  | Kelvins            | Beam angle      |
| 2400lm  | 3000K              | 162°            |
| 2400lm  | 4000K              |                 |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ5304
- 4000K black ..... AZ5305




GAMMA SAGA TRACK MAGNETIC 20W 3000/4000K




|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 20W             |
| Lumens  | Kelvins            | Beam angle      |
| 1600lm  | 3000K              | 162°            |
| 1600lm  | 4000K              |                 |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ5301
- 4000K black ..... AZ5302




GAMMA KIRA TRACK MAGNETIC 12W 3000/4000K




|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 12W             |
| Lumens  | Kelvins            | Beam angle      |
| 960lm   | 3000K              | 58°             |
| 960lm   | 4000K              |                 |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ5290
- 4000K black ..... AZ5291




GAMMA KIRA TRACK MAGNETIC 24W 3000/4000K




|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 24W             |
| Lumens  | Kelvins            | Beam angle      |
| 1920lm  | 3000K              | 57°             |
| 1920lm  | 4000K              |                 |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ5296
- 4000K black ..... AZ5297




GAMMA KIRA TRACK MAGNETIC 18W 3000/4000K



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 18W             |
| Lumens  | Kelvins            | Beam angle      |
| lm      | 3000K              | 58°             |
|         | 4000K              |                 |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ5293
- 4000K black ..... AZ5294






GAMMA SANGRIA TRACK MAGNETIC 6W 3000/4000K



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 6W              |
| Lumens  | Kelvins            | Beam angle      |
| 480lm   | 3000K              | 163°            |
| 480lm   | 4000K              |                 |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ5266
- 4000K black ..... AZ5267




GAMMA SANGRIA TRACK MAGNETIC 12W 3000/4000K



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 12W             |
| Lumens  | Kelvins            | Beam angle      |
| 960lm   | 3000K              | 164°            |
| 960lm   | 4000K              |                 |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ5269
- 4000K black ..... AZ5270




GAMMA SANGRIA POINT TRACK MAGNETIC 6W 3000/4000K



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 6W              |
| Lumens  | Kelvins            | Beam angle      |
| 480lm   | 3000K              | 61°             |
| 480lm   | 4000K              |                 |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ5272
- 4000K black ..... AZ5273




GAMMA SANGRIA POINT TRACK MAGNETIC 12W 3000/4000K




|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 12W             |
| Lumens  | Kelvins            | Beam angle      |
| 960lm   | 3000K              | 59°             |
| 960lm   | 4000K              |                 |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ5275
- 4000K black ..... AZ5276




GAMMA SANGRIA UGR TRACK MAGNETIC 6W 3000/4000K




|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 6W              |
| Lumens  | Kelvins            | Beam angle      |
| 480lm   | 3000K              | 102°            |
| 480lm   | 4000K              |                 |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ5278
- 4000K black ..... AZ5279




GAMMA SANGRIA UGR TRACK MAGNETIC 12W 3000/4000K



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 12W             |
| Lumens  | Kelvins            | Beam angle      |
| 960lm   | 3000K              | 103°            |
| 960lm   | 4000K              |                 |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ 5281
- 4000K black ..... AZ5282





GAMMA NIKO TRACK MAGNETIC 7W 3000/4000K



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 7W              |
| Lumens  | Kelvins            | Beam angle      |
| 560lm   | 3000K              | 58°             |
| 560lm   | 4000K              |                 |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ5284
- 4000K black ..... AZ5285





GAMMA NIKO TRACK MAGNETIC 12W 3000/4000K



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 12W             |
| Lumens  | Kelvins            | Beam angle      |
| 960lm   | 3000K              | 52°             |
| 960lm   | 4000K              |                 |
| CRI     | Protection level   | Material        |
| ≥ 90    | IP20               | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- 3000K black ..... AZ5287
- 4000K black ..... AZ5288






GAMMA DANKA TRACK MAGNETIC 8W 3000/4000K



|                          |                                    |                             |
|--------------------------|------------------------------------|-----------------------------|
| Voltage<br>48V           | Light source<br>1 x LED Integrated | Power<br>8W                 |
| Lumens<br>640lm<br>640lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>120°          |
| CRI<br>≥ 90              | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt           |                                    |                             |

- 3000K black ..... AZ5306
- 4000K black ..... AZ5307



GAMMA DANIEL TRACK MAGNETIC 8W 3000/4000K




|                          |                                    |                             |
|--------------------------|------------------------------------|-----------------------------|
| Voltage<br>48V           | Light source<br>1 x LED Integrated | Power<br>8W                 |
| Lumens<br>640lm<br>640lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>120°          |
| CRI<br>≥ 90              | Protection level<br>IP20           | Material<br>Aluminium / PVC |
| Finish<br>Matt           |                                    |                             |

- 3000K black ..... AZ5308
- 4000K black ..... AZ5309




REMOTE CONTROL 4-GROUP & RGB & BLUETOOTH





\* RGB CHANGE ONLY USED FOR RGB LAMPS  
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION

REMOTE CONTROL 3-GROUP BLUETOOTH



SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH



**BLUETOOTH GATEWAY (OPTIONAL)**

The Bluetooth gateway is an optional device that connects to your home WiFi network and enables remote access to compatible lamps and devices via the Tuya Smart app. Thanks to the gateway, you can control your lighting and settings from anywhere. Without it, devices can still be operated locally using the remote control or any device connected to the same WiFi network.

Router      Bluetooth Gateway Smart AZ4856






GAMMA SAGA TRACK MAGNETIC 10W CCT BLUETOOTH



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>10W                |
| Lumens<br>800lm | Kelvins<br>3000 – 6000K            | Beam angle<br>160°          |
| CRI<br>≥ 90     | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

- black      AZ5300






GAMMA SAGA TRACK MAGNETIC 20W CCT BLUETOOTH



|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated | Power<br>20W                |
| Lumens<br>1600lm | Kelvins<br>3000 – 6000K            | Beam angle<br>162°          |
| CRI<br>≥ 90      | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes       | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |

- black      AZ5303






GAMMA KIRA TRACK MAGNETIC 12W CCT BLUETOOTH



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000 – 6000K            | Beam angle<br>57°           |
| CRI<br>≥ 90     | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

- black      AZ5292






GAMMA KIRA TRACK MAGNETIC 18W CCT BLUETOOTH



|                  |                                    |                             |
|------------------|------------------------------------|-----------------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated | Power<br>18W                |
| Lumens<br>1440lm | Kelvins<br>3000 – 6000K            | Beam angle<br>58°           |
| CRI<br>≥ 90      | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes       | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt   |                                    |                             |

- black      AZ5295






GAMMA SANGRIA POINT TRACK MAGNETIC 6W CCT BLUETOOTH



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>6W                 |
| Lumens<br>480lm | Kelvins<br>3000 – 6000K            | Beam angle<br>62°           |
| CRI<br>≥ 90     | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

- black ..... AZ5274






GAMMA SANGRIA UGR TRACK MAGNETIC 12W CCT BLUETOOTH



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000 – 6000K            | Beam angle<br>103°          |
| CRI<br>≥ 90     | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

- black ..... AZ5283






GAMMA SANGRIA POINT TRACK MAGNETIC 12W CCT BLUETOOTH



|                 |                                    |                             |
|-----------------|------------------------------------|-----------------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>12W                |
| Lumens<br>960lm | Kelvins<br>3000 – 6000K            | Beam angle<br>67°           |
| CRI<br>≥ 90     | Protection level<br>IP20           | Dimmable<br>Yes             |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium / PVC |
| Finish<br>Matt  |                                    |                             |

- black ..... AZ5277








GAMMA SANGRIA TRACK MAGNETIC 6W CCT BLUETOOTH



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 6W              |
| Lumens  | Kelvins            | Beam angle      |
| 480lm   | 3000 - 6000K       | 163°            |
| CRI     | Protection level   | Dimmable        |
| ≥ 90    | IP20               | Yes             |
| CCT     | Type of control    | Material        |
| Yes     | Bluetooth Tuya     | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- black ..... AZ5268






GAMMA SANGRIA TRACK MAGNETIC 12W CCT BLUETOOTH



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 12W             |
| Lumens  | Kelvins            | Beam angle      |
| 960lm   | 3000 - 6000K       | 164°            |
| CRI     | Protection level   | Dimmable        |
| ≥ 90    | IP20               | Yes             |
| CCT     | Type of control    | Material        |
| Yes     | Bluetooth Tuya     | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- black ..... AZ5271






GAMMA NIKO TRACK MAGNETIC 7W CCT BLUETOOTH



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 7W              |
| Lumens  | Kelvins            | Beam angle      |
| 560lm   | 3000 - 6000K       | 58°             |
| CRI     | Protection level   | Dimmable        |
| ≥ 90    | IP20               | Yes             |
| CCT     | Type of control    | Material        |
| Yes     | Bluetooth Tuya     | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- black ..... AZ5286






GAMMA NIKO TRACK MAGNETIC 12W CCT BLUETOOTH



|         |                    |                 |
|---------|--------------------|-----------------|
| Voltage | Light source       | Power           |
| 48V     | 1 x LED Integrated | 12W             |
| Lumens  | Kelvins            | Beam angle      |
| 960lm   | 3000 - 6000K       | 53°             |
| CRI     | Protection level   | Dimmable        |
| ≥ 90    | IP20               | Yes             |
| CCT     | Type of control    | Material        |
| Yes     | Bluetooth Tuya     | Aluminium / PVC |
| Finish  |                    |                 |
| Matt    |                    |                 |

- black ..... AZ5289



GAMMA ADAPTER BIG




GAMMA TRACK ADAPTER BIG

Color/Code      ● black      ..... AZ 5 311



TILT IS POSSIBLE ONLY WITH ADAPTER

ONLY LAMP



SANGRIA MILKY LAMP

ADAPTER BIG + LAMP



SANGRIA MILKY LAMP + ADAPTER BIG



SANGRIA POINT LAMP



SANGRIA POINT LAMP + ADAPTER BIG



SANGRIA UGR LAMP



SANGRIA UGR LAMP + ADAPTER BIG






NEO  
TRACK MAGNETIC






NEO TRACK INSTALLATION SCHEME




NEO TRACK MAGNETIC (0,3m, 0,6m, 1,2m, 2m)

|                   |        |       |       |        |
|-------------------|--------|-------|-------|--------|
| Length/Color/Code | ● 0,3m | black | ..... | AZ5129 |
|                   | ● 0,6m | black | ..... | AZ5130 |
|                   | ● 1,2m | black | ..... | AZ5131 |
|                   | ● 2m   | black | ..... | AZ5132 |



NEO TRACK MAGNETIC DRIVER (100W, 200W)

|                  |        |       |       |        |
|------------------|--------|-------|-------|--------|
| Power/Color/Code | ● 100W | black | ..... | AZ5137 |
|                  | ● 200W | black | ..... | AZ5138 |




TRACK MAGNETIC DRIVER MEANWELL (100W, 200W, 350W)

|                  |      |       |        |
|------------------|------|-------|--------|
| Power/Color/Code | 100W | ..... | AZ4691 |
|                  | 200W | ..... | AZ4692 |
|                  | 350W | ..... | AZ4866 |




NEO TRACK MAGNETIC CONNECTOR FOR DRIVER

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5134 |
|------------|---------|-------|--------|




NEO TRACK MAGNETIC CONNECTOR 1

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5136 |
|------------|---------|-------|--------|



NEO TRACK MAGNETIC CONNECTOR 2

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5133 |
|------------|---------|-------|--------|



NEO TRACK MAGNETIC COVER USB-C X3

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5464 |
|------------|---------|-------|--------|





NEO TRACK MAGNETIC MICRO COVER X3

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5456 |
|------------|---------|-------|--------|




NEO TRACK MAGNETIC CONNECTOR X

|            |         |       |        |
|------------|---------|-------|--------|
| Color/Code | ● black | ..... | AZ5135 |
|------------|---------|-------|--------|






REMOTE CONTROL 4-GROUP & RGB & BLUETOOTH





\* RGB CHANGE ONLY USED FOR RGB LAMPS  
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION

REMOTE CONTROL 3-GROUP BLUETOOTH



SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH



BLUETOOTH GATEWAY (OPTIONAL)



The Bluetooth gateway is an optional device that connects to your home WiFi network and enables remote access to compatible lamps and devices via the Tuya Smart app. Thanks to the gateway, you can control your lighting and settings from anywhere. Without it, devices can still be operated locally using the remote control or any device connected to the same WiFi network.




NEO SERIE 100 6W CCT BLUETOOTH



|                 |                                   |                    |
|-----------------|-----------------------------------|--------------------|
| Voltage<br>48V  | Light source<br>LED Integrated    | Power<br>6W        |
| Lumens<br>480lm | Kelvins<br>3000 – 6500K           | Beam angle<br>123° |
| CRI<br>≥ 90     | Protection level<br>IP20          | Dimmable<br>Yes    |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya | Material<br>PVC    |
| Finish<br>Matt  |                                   |                    |

- black

AZ5118
- 3 | 
- 3 | 
- 29,4



NEO SERIE 100 12W CCT BLUETOOTH



|                 |                                   |                    |
|-----------------|-----------------------------------|--------------------|
| Voltage<br>48V  | Light source<br>LED Integrated    | Power<br>12W       |
| Lumens<br>960lm | Kelvins<br>3000 – 6500K           | Beam angle<br>120° |
| CRI<br>≥ 90     | Protection level<br>IP20          | Dimmable<br>Yes    |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya | Material<br>PVC    |
| Finish<br>Matt  |                                   |                    |

- black

AZ5119
- 3 | 
- 3 | 
- 58




NEO SERIE 100 21W CCT BLUETOOTH



|                  |                                   |                    |
|------------------|-----------------------------------|--------------------|
| Voltage<br>48V   | Light source<br>LED Integrated    | Power<br>21W       |
| Lumens<br>1680lm | Kelvins<br>3000 – 6500K           | Beam angle<br>120° |
| CRI<br>≥ 90      | Protection level<br>IP20          | Dimmable<br>Yes    |
| CCT<br>Yes       | Type of control<br>Bluetooth Tuya | Material<br>PVC    |
| Finish<br>Matt   |                                   |                    |

- black

AZ5120
- 3 | 
- 3 | 
- 115








NEO SERIE 120 8W CCT BLUETOOTH



|                 |                                   |                   |
|-----------------|-----------------------------------|-------------------|
| Voltage<br>48V  | Light source<br>LED Integrated    | Power<br>8W       |
| Lumens<br>640lm | Kelvins<br>3000 - 7000K           | Beam angle<br>33° |
| CRI<br>≥ 90     | Protection level<br>IP20          | Dimmable<br>Yes   |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya | Material<br>PVC   |
| Finish<br>Matt  |                                   |                   |








NEO SERIE 140 9W CCT BLUETOOTH



|                 |                                   |                   |
|-----------------|-----------------------------------|-------------------|
| Voltage<br>48V  | Light source<br>LED Integrated    | Power<br>9W       |
| Lumens<br>720lm | Kelvins<br>3000 – 6500K           | Beam angle<br>36° |
| CRI<br>≥ 90     | Protection level<br>IP20          | Dimmable<br>Yes   |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya | Material<br>PVC   |
| Finish<br>Matt  |                                   |                   |

- black ..... AZ5126






NEO SERIE 140 12W CCT BLUETOOTH



|                 |                                   |                   |
|-----------------|-----------------------------------|-------------------|
| Voltage<br>48V  | Light source<br>LED Integrated    | Power<br>12W      |
| Lumens<br>960lm | Kelvins<br>3000 – 6500K           | Beam angle<br>35° |
| CRI<br>≥ 90     | Protection level<br>IP20          | Dimmable<br>Yes   |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya | Material<br>PVC   |
| Finish<br>Matt  |                                   |                   |

- black ..... AZ5122






NEO SERIE 140 18W CCT BLUETOOTH



|                  |                                   |                   |
|------------------|-----------------------------------|-------------------|
| Voltage<br>48V   | Light source<br>LED Integrated    | Power<br>18W      |
| Lumens<br>1440lm | Kelvins<br>3000 – 6500K           | Beam angle<br>36° |
| CRI<br>≥ 90      | Protection level<br>IP20          | Dimmable<br>Yes   |
| CCT<br>Yes       | Type of control<br>Bluetooth Tuya | Material<br>PVC   |
| Finish<br>Matt   |                                   |                   |

- black ..... AZ5123







NEO SERIE 160 12W CCT BLUETOOTH



|                 |                                   |                   |
|-----------------|-----------------------------------|-------------------|
| Voltage<br>48V  | Light source<br>LED Integrated    | Power<br>12W      |
| Lumens<br>960lm | Kelvins<br>3000 - 7000K           | Beam angle<br>36° |
| CRI<br>≥ 90     | Protection level<br>IP20          | Dimmable<br>Yes   |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya | Material<br>PVC   |
| Finish<br>Matt  |                                   |                   |

● black

AZ5124

3,5 |

3 |

26





NEO SERIE 180 6W CCT BLUETOOTH



|                 |                                    |                    |
|-----------------|------------------------------------|--------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>6W        |
| Lumens<br>480lm | Kelvins<br>3000 - 6000K            | Beam angle<br>147° |
| CRI<br>≥ 90     | Protection level<br>IP20           | Dimmable<br>Yes    |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya  | Material<br>PVC    |
| Finish<br>Matt  |                                    |                    |

○ white

AZ5125

3,5 |

3 |

26








NEO SERIE 200 12W CCT BLUETOOTH




|                 |                                    |                       |
|-----------------|------------------------------------|-----------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>12W          |
| Lumens<br>960lm | Kelvins<br>3000 - 6500K            | Beam angle<br>41°     |
| CRI<br>≥ 90     | Protection level<br>IP20           | Dimmable<br>Yes       |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium |
| Finish<br>Matt  |                                    |                       |




NEO SERIE 220 9W CCT BLUETOOTH



|                 |                                    |                       |
|-----------------|------------------------------------|-----------------------|
| Voltage<br>48V  | Light source<br>1 x LED Integrated | Power<br>9W           |
| Lumens<br>720lm | Kelvins<br>3000 - 6500K            | Beam angle<br>113°    |
| CRI<br>≥ 90     | Protection level<br>IP20           | Dimmable<br>Yes       |
| CCT<br>Yes      | Type of control<br>Bluetooth Tuya  | Material<br>Aluminium |
| Finish<br>Matt  |                                    |                       |






A modern outdoor patio area featuring a concrete wall with large stone tiles. A long, thin, black Track IP65 light fixture is mounted on the ceiling, emitting a warm glow. The patio is furnished with two wooden armchairs with light-colored cushions and a small, round, concrete side table. In the background, there are large glass doors leading into a building. To the right, there are three large terracotta pots containing various green plants. The floor is made of large, light-colored stone tiles. The overall atmosphere is clean, minimalist, and sophisticated.

## TRACK IP65

NEW



TRACK IP65 INSTALLATION SCHEME




TRACK IP65 LAMP INSTALLATION SCHEME




TRACK IP65 SUSPENSION INSTALLATION SCHEME



TRACK IP65 SUSPENSION CORNERS INSTALLATION SCHEME









TRACK IP65 (1m, 2m, 3m)

|                   |      |       |       |        |
|-------------------|------|-------|-------|--------|
| Length/Color/Code | ● 1m | black | ..... | AZ6920 |
|                   | ○ 1m | white | ..... | AZ6923 |
|                   | ● 2m | black | ..... | AZ6921 |
|                   | ○ 2m | white | ..... | AZ6924 |
|                   | ● 3m | black | ..... | AZ6922 |
|                   | ○ 3m | white | ..... | AZ6925 |



TRACK IP65 LED LINE 3000/4000K (1m, 2m, 3m)

|                           |      |             |       |        |
|---------------------------|------|-------------|-------|--------|
| Length/Kelvins/Color/Code | ● 1m | 4000K black | ..... | AZ7198 |
|                           | ○ 1m | 3000K white | ..... | AZ6926 |
|                           | ○ 1m | 4000K white | ..... | AZ6929 |
|                           | ● 2m | 4000K black | ..... | AZ7199 |
|                           | ○ 2m | 3000K white | ..... | AZ6927 |
|                           | ○ 2m | 4000K white | ..... | AZ6930 |
|                           | ● 3m | 4000K black | ..... | AZ7200 |
|                           | ○ 3m | 3000K white | ..... | AZ6928 |
|                           | ○ 3m | 4000K white | ..... | AZ6931 |
|                           |      |             |       |        |
|                           |      |             |       |        |
|                           |      |             |       |        |



TRACK IP65 LED LINE  
can be cut every 12,5 cm.

TRACK IP65 LED LINE FINISHING OPTIONS

CUT & END CAP

Seal the cut LED line with  
a waterproof end cap  
for a clean and secure finish.

\* Requires AZ6932



CABLE EXIT

Shorten the power cable to  
the required length while  
maintaining IP65 protection.


\* Requires AZ6932



CABLE EXIT

Connect two LED line sections  
securely.

\* Requires AZ6932



TRACK IP65 LED LINE 3000/4000K (1m, 2m, 3m)

| Code     | Length | Light source   | Power | Lumens | Kelvins | Beam angle | Color | Material | Finish | IP   |
|----------|--------|----------------|-------|--------|---------|------------|-------|----------|--------|------|
| ● AZ7198 | 1m     | LED Integrated | 10W   | 192lm  | 4000K   | 110°       | Smoky | Silicone | Matt   | IP65 |
| ○ AZ6926 | 1m     | LED Integrated | 10W   | 620lm  | 3000K   | 110°       | White | Silicone | Matt   | IP65 |
| ○ AZ6929 | 1m     | LED Integrated | 10W   | 660lm  | 4000K   | 110°       | White | Silicone | Matt   | IP65 |
| ● AZ7199 | 2m     | LED Integrated | 20W   | 320lm  | 4000K   | 110°       | Smoky | Silicone | Matt   | IP65 |
| ○ AZ6927 | 2m     | LED Integrated | 20W   | 1060lm | 3000K   | 110°       | White | Silicone | Matt   | IP65 |
| ○ AZ6930 | 2m     | LED Integrated | 20W   | 1170lm | 4000K   | 110°       | White | Silicone | Matt   | IP65 |
| ● AZ7200 | 3m     | LED Integrated | 30W   | 480lm  | 4000K   | 110°       | Smoky | Silicone | Matt   | IP65 |
| ○ AZ6928 | 3m     | LED Integrated | 30W   | 1610lm | 3000K   | 110°       | White | Silicone | Matt   | IP65 |
| ○ AZ6931 | 3m     | LED Integrated | 30W   | 1780lm | 4000K   | 110°       | White | Silicone | Matt   | IP65 |






**TRACK IP65 COVER STRAIGHT CONNECTOR**

Code/Color      ● black      ..... **AZ6936**  
                         ○ white      ..... **AZ6937**



**TRACK IP65 MECHANICAL STRAIGHT CONNECTOR BK**

Code      ● black      ..... **AZ6712**




**TRACK IP65 COVER CORNER A**

Code/Color      ● black      ..... **AZ6938**  
                         ○ white      ..... **AZ6939**




**TRACK IP65 MECHANICAL CORNER A CONNECTOR BK**

Code      ● black      ..... **AZ6713**



**TRACK IP65 COVER CORNER B CONNECTOR**

Code/Color      ● black      ..... **AZ7421**  
                         ○ white      ..... **AZ7422**





**TRACK IP65 COVER T CONNECTOR**

Code/Color      ● black      ..... **AZ6942**  
                         ○ white      ..... **AZ6943**



**TRACK IP65 MECHANICAL T CONNECTOR BK**

Code      ● black      ..... **AZ6714**




**TRACK IP65 COVER X CONNECTOR**

Code/Color      ● black      ..... **AZ7419**  
                         ○ white      ..... **AZ7420**




**TRACK IP65 MECHANICAL X CONNECTOR BK**

Code      ● black      ..... **AZ7418**




**TRACK IP65 END CAP**

Code/Color      ● black      ..... **AZ6940**  
                         ○ white      ..... **AZ6941**



**TRACK IP65 SUSPENSION**

Code/Color      ● black      ..... **AZ6934**  
                         ○ white      ..... **AZ6935**



**TRACK IP65 CONNECTORS SET**

Code/Color      ○ white      ..... **AZ6932**



**TRACK IP65 SILICONE GLUE**

Code/Color      ○ white      ..... **AZ6971**



**TRACK IP65 DRIVER 100W/200W/300W**

Code/Power      100W      ..... **AZ6964**  
                         200W      ..... **AZ6965**  
                         300W      ..... **AZ6966**







TRACK IP65 WATERPROOF CONNECTOR BOX  
Code/Color      ● black      ..... AZ6972




TRACK IP65 COVER DRIVER BOX (100W/200W)  
Code/Color      ● black      ..... AZ6969  
                         ○ white      ..... AZ6970



TRACK IP65 COVER DRIVER BOX (300W)  
Code/Color      ● black      ..... AZ6967  
                         ○ white      ..... AZ6968




TRACK IP65 CONTROL OPTIONS






TRACK IP65 LIDO 10W DIMM 3000/4000K

NEW



|                          |                                    |                       |
|--------------------------|------------------------------------|-----------------------|
| Voltage<br>48V           | Light source<br>1 x LED Integrated | Power<br>10W          |
| Lumens<br>600lm<br>600lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>45°     |
| CRI<br>≥ 90              | Protection level<br>IP65           | Material<br>Aluminium |
| Finish<br>Matt           |                                    |                       |

- 3000K black ..... AZ6948
- 3000K white ..... AZ6949
- 4000K black ..... AZ6950
- 4000K white ..... AZ6951




TRACK IP65 LIDO 20W DIMM 3000/4000K

NEW



|                  |                                    |                       |
|------------------|------------------------------------|-----------------------|
| Voltage<br>48V   | Light source<br>1 x LED Integrated | Power<br>20W          |
| Lumens<br>1000lm | Kelvins<br>3000K                   | Beam angle<br>45°     |
| CRI<br>≥ 90      | Protection level<br>IP65           | Material<br>Aluminium |
| Finish<br>Matt   |                                    |                       |

- 3000K black ..... AZ6953
- 3000K white ..... AZ6952
- 4000K black ..... AZ6955
- 4000K white ..... AZ6954







TRACK IP65 MURANO 8W DIMM 3000/4000K NEW




|                          |                                    |                       |
|--------------------------|------------------------------------|-----------------------|
| Voltage<br>48V           | Light source<br>1 x LED Integrated | Power<br>8W           |
| Lumens<br>530lm<br>530lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>50°     |
| CRI<br>≥ 90              | Protection level<br>IP65           | Material<br>Aluminium |
| Finish<br>Matt           |                                    |                       |




- 3000K black ..... AZ6944
- 3000K white ..... AZ6945
- 4000K black ..... AZ6946
- 4000K white ..... AZ6947



TRACK IP65 FERNA 16W DIMM 3000/4000K NEW



|                          |                                    |                       |
|--------------------------|------------------------------------|-----------------------|
| Voltage<br>48V           | Light source<br>1 x LED Integrated | Power<br>16W          |
| Lumens<br>660lm<br>660lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>38°     |
| CRI<br>≥ 90              | Protection level<br>IP65           | Material<br>Aluminium |
| Finish<br>Matt           |                                    |                       |



- 3000K black ..... AZ6956
- 3000K white ..... AZ6957
- 4000K black ..... AZ6958
- 4000K white ..... AZ6959






TRACK IP65 SAMI D12 3000/4000K DIMM

NEW



|                          |                                    |                       |
|--------------------------|------------------------------------|-----------------------|
| Voltage<br>48V           | Light source<br>1 x LED Integrated | Power<br>7W           |
| Lumens<br>500lm<br>500lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>360°    |
| CRI<br>≥ 90              | Protection level<br>IP65           | Material<br>Aluminium |
| Finish<br>Matt           |                                    |                       |

- 3000K black ..... AZ7224
- 3000K white ..... AZ7222
- 4000K black ..... AZ7225
- 4000K white ..... AZ7223



TRACK IP65 SONIC DIMM 3000/4000K

NEW



|                          |                                    |                       |
|--------------------------|------------------------------------|-----------------------|
| Voltage<br>48V           | Light source<br>1 x LED Integrated | Power<br>11W          |
| Lumens<br>880lm<br>880lm | Kelvins<br>3000K<br>4000K          | Beam angle<br>38°     |
| CRI<br>≥ 90              | Protection level<br>IP65           | Material<br>Aluminium |
| Finish<br>Matt           |                                    |                       |

- 3000K black ..... AZ6960
- 3000K white ..... AZ6961
- 4000K black ..... AZ6962
- 4000K white ..... AZ6963





RESERVATIONS  
TECHNOLOGICAL changes and limitations

*We reserve the rights to make changes in the product range, design and model.  
Please note that, as a result of printing processes, actual colors may vary from those reproduced here.*

*Nous nous reservons le droid d'apporter des modifications dans le choix et le design des modeles.*

*Veillez noter qu'en raison des techniques d'impression les teintes des produits peuvent legerement  
varier par rapport a celles du catalogue.*

*Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.  
Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.*

*Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.  
Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen  
a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.*

*Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.  
Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.*

*Vyhradzujeme si právo na vykonávanie ponukových a konstrukčných zmien.  
Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.*

MULTICOLOR

*We can paint the lamps in any RAL colour subject to an extra charge.*

*Contre un supplément, il est possible de commander la lampe dansune teinte choisie dans la palette RAL.*

*Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.*

*Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.*

*Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.*

WARRANTY

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>5 lat gwarancji na systemy szynowe.</p> <p>3 lata gwarancji na sterowniki w lampach LED, drivery oraz moduły świecące wraz z diodami.</p> <p>Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.</p> <p>A 5-year warranty is provided for track systems.</p> <p>A 3-year warranty is provided for LED lamp controllers, drivers and light modules, including diodes.</p> <p>The warranty period is counted from the date of purchase, confirmed by a receipt or an invoice.</p> <p>5 év garancia érvényes a sínrendszerekre.</p> <p>3 év garancia érvényes a LED lámpák vezérlőire, drivereire és a világító modulokra, a diódákkal együtt.</p> <p>A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni.</p> <p>Garantie de 5 ans sur les systèmes de rails.</p> <p>Une garantie de 3 ans s'applique aux contrôleurs/drivers des lampes LED ainsi qu'aux modules lumineux, diodes incluses.</p> <p>La durée de la garantie est comptée à partir du jour d'achat, confirmé par un ticket de caisse ou une facture.</p> <p>5-ročná záruka sa vzťahuje na koľajnicové systémy.</p> <p>3-ročná záruka sa vzťahuje na ovládače/drivery pre LED lampy a svetelné moduly vrátane diód.</p> <p>Záručná doba sa počíta od dátumu zakúpenia tovaru.</p> <p>5letá záruka se vztahuje na lištové systémy.</p> <p>3letá záruka se vztahuje na ovládače/drivery pro LED lampy a světelné moduly včetně diod.</p> <p>Záruční doba se počítá od data zakoupení zboží.</p> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

COLOUR RENDERING INDEX

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Ra (CRI) - Colour Rendering Index EU standard - Ra ≥ 80</p> <p>Best colour rendering index, Ra (CRI) = 100</p> <p>Ra (CRI) - wskaźnik oddawania barw Standard UE - Ra ≥ 80</p> <p>Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100</p> <p>Ra (CRI)- Index podania farieb Štandard EU - Ra ≥ 80</p> <p>Najlepší index podania farieb Ra(CRI)=100</p> <p>Ra (CRI)- Index podání barev Standard EU - Ra ≥ 80</p> <p>Nejlepší index podání barev Ra(CRI)=100</p> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|